MERCATOR
NITRILE GLOVES

Disposable nitrile gloves from the Just 1 Source range. Choose by grip, cuff length and pack size.



Choose Your Setup

Application	Range or option	Page
Oily tools and wet handling	Ideall Grip diamond texture	02
Fine handling and frequent changes	Nitrylex Classic, Basic and Strong	03
Ordering and chemical selection	Packs, sizing and documentation	04

Select For The Task

Use Ideall Grip where extra grip matters. Choose the blue long-cuff model for 300 mm coverage. Choose Nitrylex where a thinner glove and fingertip feel are priorities.

67–69 Quayside Road, Southampton SO18 1AE

© R H Davey Welding Supplies Ltd · Design and editorial content

HEAVY-DUTY DISPOSABLE NITRILE

Ideall Grip

Diamond texture on both surfaces helps grip wet or oily components and reduces movement inside the glove.



Black



Blue Long Cuff



Orange



Green

Product / reference	Thickness · length	Sizes	Box / case	Type B code
Ideall Grip Black · RP300260Q	5.2 mil · 240 mm	S–XXL	50 / 500	JKPT
Ideall Grip Blue Long Cuff · RP300376Q	7.0 mil · 300 mm	S–XXL	50 / 500	JKPTO
Ideall Grip Orange · RP300270Q	7.0 mil · 240 mm	S–XXL	50 / 500[1]	JKPTO
Ideall Grip Green · RP300326Q	7.0 mil · 240 mm	S–XXL	50 / 500	JKPTO

Ideall Grip Black General workshop handling where diamond grip and a less bulky feel matter.

Ideall Grip Blue Long Cuff Choose the extended cuff when more wrist and forearm coverage is needed.

Ideall Grip Orange High-visibility orange for workshop tasks involving oily or wet components.

Ideall Grip Green A 7 mil glove with a distinct colour for task or area identification.

[1] Orange is also listed in 100-glove boxes. Confirm case configuration on the order. Type B chemical codes are from the current grade sheets. Consult the relevant declaration and user instructions.

© R H Davey Welding Supplies Ltd · Design and editorial content

LIGHTWEIGHT AND TEXTURED DISPOSABLE NITRILE

Nitrylex

Choose Classic for fine handling, Basic for a lightweight glove or Strong when a thicker palm-textured glove suits the job.



Classic Black



Classic Blue



Basic Blue



Strong Black

Product / reference	Thickness · length	Sizes	Box / case	Type B code
Nitrylex Classic Black · RD301040Q	2.8 mil · 240 mm	S–XL	100 / 1,000	KPT
Nitrylex Classic Blue · RD300199Q	2.8 mil · 240 mm	S–XXL	100 / 1,000[2]	KPT
Nitrylex Basic Blue · RD3029200	2.7 mil · 240 mm	S–XL	100 / 1,000	KPT
Nitrylex Strong Black · RD302370Q	4.3 mil · 240 mm	S–XXL[3]	100 / 1,000	KPT

Nitrylex Classic Black Textured fingertips for fine handling. Black suits routine workshop and finishing tasks.

Nitrylex Classic Blue Textured fingertips for routine handling and frequent glove changes.

Nitrylex Basic Blue Lightweight blue glove with fingertip texture. Confirm availability.

Nitrylex Strong Black Thicker, palm-textured black option. Confirm availability and size.

[2] Classic Blue is also listed in 200-glove boxes. Confirm case configuration. [3] The Strong datasheet lists XXL. Confirm documentation for that size when ordering.

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING AND PROTECTION

Match The Glove To The Job

All eight styles are disposable, powder-free nitrile. Specify the product reference, glove size and number of boxes or cases.

Selection point	What to check
Grip	Ideall Grip uses a full diamond texture. Nitrylex textures vary by model, with palm texture on Strong.
Cuff length	240 mm standard length across these listings. Choose Blue Long Cuff where the 300 mm cuff is needed.
Chemical protection	Match the chemical, concentration and contact time against the glove's permeation and degradation data.
Food contact	Check the product's food-contact declaration for the food type, time and temperature of contact.
Specialist exposure	Use the task risk assessment to select separate protection for heat, cutting and other mechanical hazards.
Pack size	Counts are individual gloves. Confirm the alternate carton quantities before ordering.

Example Order

RP300376Q, Ideall Grip Blue Long Cuff, size L, one case of 500 gloves. For chemical tasks, request the exact product's declaration of conformity and user instructions.

Just 1 Source live Mercator range

Just 1 Source catalogue

© R H Davey Welding Supplies Ltd · Design and editorial content