PARWELD

PPE

WELDING. HANDLING. WORKSHOP SAFETY.

Panther gloves and workwear.
XR helmets and powered air.

PERSONAL & WORKPLACE PROTECTION



Choose Protection For The Task.

Choose by task, fit and protection rating. Ordering tables cover helmets, gloves and workwear, plus eye, ear and respiratory protection, replacement parts and welding-bay screens.



XR Helmets

Welding & grinding

From Page 2



Powered Air

Welding & clear-visor kits

From Page 5



Panther Gloves

Welding & handling

From Page 11



Clothing & IFR

Leather & IFR workwear

From Page 17

R H DAVEY WELDING SUPPLIES LTD
023 8033 9443 / sales@rhdaveywelding.co.uk / rhdaveywelding.co.uk
67-69 Quayside Road, Southampton, Hampshire SO18 1AE

© R H Davey Welding Supplies Ltd | Design and editorial content

XR Welding Helmets

XR942H Panoramic Helmet



Active-shading side windows extend peripheral vision. Auto, Tack and TIS modes adapt the filter response to the work.

116 × 81mm view | Shade 4-14 | Minimum 5A | 693g

Stock Code	Version
XR942H	Panoramic welding / grinding

XR943H Flip-Up Helmet



Lift the welding front to use the wide-view grinding visor without removing the helmet.

108 × 74mm view | Shade 4-8 / 9-13 | Minimum 5A | 754g

Stock Code	Version
XR943H	Flip-up welding / grinding

Manufacturer Product Information

© R H Davey Welding Supplies Ltd | Design and editorial content

XR Welding Helmets

XR938H True Colour Helmet



True Colour filter, external grind control and six finishes for general welding and preparation.

100 × 53mm view | Shade 5-13 | Minimum 5A | 470g

Stock Code	Version
XR938H	Silver
XR938H/P	Graphite grey
XR938H/BL	Metallic blue
XR938H/R	Red
XR938H/F	Skull & flame
XR938H/E	American eagle



Silver



Metallic Blue



Red



Skull & Flame



American Eagle

True Colour And External Grind Control

The True Colour filter gives a more natural view of the weld pool and surrounding work. External grind control makes it easier to change between preparation and welding without removing the helmet. Use the correct shade for the process and current.

Manufacturer Product Information

© R H Davey Welding Supplies Ltd | Design and editorial content

XR Welding Helmets

XR935H Welding Helmet



Adjustable sensitivity and delay, with a shade range suited to everyday arc-welding applications.

100 × 41mm view | Shade 9-13 | Minimum 10A

Stock Code	Version
XR935H	Welding / grinding helmet

WH-1 Welding Helmet



A straightforward light-reactive helmet for common arc-welding work and preparation.

Shade 9-13 | Adjustable sensitivity and delay

Stock Code	Version
WH-1	Welding / grinding helmet

Manufacturer Product Information

© R H Davey Welding Supplies Ltd | Design and editorial content

XR943A Welding & Grinding PAPR

Flip-up welding helmet with face seal and air duct, paired with the XR1018 powered-air unit. A clear grinding visor remains available when the welding front is lifted.



Stock Code	Configuration
XR943A	Complete welding PAPR kit
XR1020	Assembled air-fed welding headtop
XR1018	Powered-air unit assembly

Powered Air For Particulate Tasks

The XR1018 provides selectable 170 or 220L/min airflow, with audible and vibration warnings. Its filter system combines a P3 particulate filter, carbon pre-filter and spark arrestor. The battery is removable and the belt includes shoulder straps.

Keep The System Complete

Use the specified headtop, hose, filter and blower together. Inspect the face seal and check airflow before use. Particulate filtration does not protect against gases or oxygen deficiency. Keep local fume extraction in use where required.

Parweld XR Specifications And User Manuals

© R H Davey Welding Supplies Ltd | Design and editorial content

XR944A Clear-Visor PAPR

A broad clear visor and powered-air unit for suitable grinding, sanding and preparation tasks. This is a clear face shield, not an arc-welding filter.



Stock Code	Configuration
XR944A	Complete clear-visor PAPR kit
XR944H	Clear-visor headtop
XR1018	Powered-air unit assembly

Powered Air For Particulate Tasks

The XR1018 provides selectable 170 or 220L/min airflow, with audible and vibration warnings. Its filter system combines a P3 particulate filter, carbon pre-filter and spark arrestor. The battery is removable and the belt includes shoulder straps.

Keep The System Complete

Use the specified headtop, hose, filter and blower together. Inspect the face seal and check airflow before use. Particulate filtration does not protect against gases or oxygen deficiency. Keep local fume extraction in use where required.

Parweld XR Specifications And User Manuals

© R H Davey Welding Supplies Ltd | Design and editorial content

Helmet Replacement Parts

Select parts against the model printed on the helmet, not appearance alone.

XR942H Panoramic Helmet Spares



Stock Code	Part
XR443	Front cover lens / 5 pieces
XR352	Auto-darkening filter
XR445	Side cover lenses / pair
XR444	Inside cover lens / 10 pieces
XR342	Headband assembly
XR372	Sweatband
XR363	Battery / single
XR373	Headband nuts / pair

XR943H Flip-Up Helmet Spares



Stock Code	Part
XR423	Front cover lens
XR353	Auto-darkening filter
XR435	Side window kit
XR433	Curved grinding lens
XR434	Inside cover lens
XR372	Sweatband
XR342	Headband
XR373	Headband nuts / pair
XR436	Diopter brackets / pair
CR2450	Battery / single

Send Us The Model And The Part

For help identifying a lens or headband, send the helmet model, the code on the existing part and a clear photograph. Cover lenses and auto-darkening filters are different components.

Model-Specific Parts And User Manuals

© R H Davey Welding Supplies Ltd | Design and editorial content

Helmet Replacement Parts

Select parts against the model printed on the helmet, not appearance alone.

XR938H Helmet Spares



Stock Code	Part
XR720	Front cover lens
XR380	Auto-darkening filter
XR730	Inside cover lens
XR770	Sweatband
XR740	Headband
CR2450	Battery / single

XR935H & WH-1 Spares



Stock Code	Part
XR420	XR935H front lens
XR350	XR935H filter cartridge
XR430	XR935H inside lens
XR370	XR935H sweatband
XR340	XR935H headband
WH520	WH-1 front lens
WH430	WH-1 inside lens
WH410	WH-1 sweatband
WH440	WH-1 headband

Send Us The Model And The Part

For help identifying a lens or headband, send the helmet model, the code on the existing part and a clear photograph. Cover lenses and auto-darkening filters are different components.

Model-Specific Parts And User Manuals

© R H Davey Welding Supplies Ltd | Design and editorial content

Helmet Replacement Parts

Select parts against the model printed on the helmet, not appearance alone.

XR944H Clear-Visor Spares



Stock Code	Part
XR460	Clear visor lens
XR9570	Face seal
XR9550	Front sweat pads
XR9540	Headband assembly
XR462	Visor retaining clips







Replace The Visor Without Disturbing The Headtop

Release the front button, remove the retaining clips and lift out the lens. Fit the specified replacement, secure the clips and inspect the face seal before returning the equipment to use.

XR944H Parts And User Instructions

© R H Davey Welding Supplies Ltd | Design and editorial content

Powered-Air Replacement Parts

Service parts for the XR1018 system used with XR943A and XR944A.



Keep Airflow And Filtration Working

Replace damaged hoses and seals promptly. A loaded filter reduces airflow; follow the blower warnings and manufacturer's maintenance instructions rather than working to a fixed replacement interval.

Stock Code	Description
XR1003	Blower with cover / no filters or belt
XR1004	Filter cover with purple catch
XR1005	Spark arrestor
XR1006	Activated-carbon pre-filter
XR1007	P3 HEPA main filter
XR1008	Comfort belt and shoulder straps
XR1109	850mm air hose with 1.05m FR cover
XR1108	Flame-retardant hose cover / 1.05m
XR1016	Lithium-ion battery
XR1017	Universal battery charger
XR1018	Powered-air unit assembly
XR1001	Nylon carry bag

XR1018 Replacement Parts And Manual

© R H Davey Welding Supplies Ltd | Design and editorial content

MIG & Heavy Welding

Panther PRO Gauntlets

Reinforced palm, thumb and fingers with a long cuff for MIG work where coverage and grip matter.

EN 388 3344X · EN 407 433X4X · EN 12477

Stock Code	Size / Specification
P3824/9	9
P3824/10	10



Product Information

Panther Gauntlets

Split leather with a lined construction for regular workshop welding. Single-hand replacements are available.

EN 388 4243X · EN 407 413X4X · EN 12477

Stock Code	Size / Specification
P3825/9	9
P3825/10	10
P3825/11	11
P3825LH	Left hand only
P3825RH	Right hand only



Product Information

Panther BLACK MIG Gauntlets

Black split-leather gauntlet with a keystone thumb for a comfortable torch grip.

EN 388 2132X · EN 407 413X4X · EN 12477

Stock Code	Size / Specification
P3833/8	8
P3833/9	9
P3833/10	10
P3833/11	11



Product Information

Choose for the heat and the reach

A longer cuff helps cover the forearm when reaching into a fabrication. Choose aluminised backing where radiant heat is the priority.

© R H Davey Welding Supplies Ltd | Design and editorial content

MIG & Heavy Welding

Panther Aluminised Gauntlets

Aluminised backing for tasks with significant radiant heat. Match the glove to the assessed exposure.

EN 388 3243X · EN 407 41344X · EN 12477

Stock Code	Size / Specification
P3828/10	10



Product Information

Panther PRO Long Sleeve Gauntlets

Extra cuff length provides more forearm coverage when handling the torch.

EN 388 4334X · EN 407 433X4X · EN 12477

Stock Code	Size / Specification
P3822/10	10



Product Information

© R H Davey Welding Supplies Ltd | Design and editorial content

TIG & Light Welding

Panther PRO TIG Gauntlets

Close-fitting TIG gauntlet for controlled torch handling and precise filler feeding, with extended cuff coverage.

EN 12477

Stock Code	Size / Specification
P3837/7	7
P3837/8	8
P3837/9	9
P3837/10	10



Product Information

Panther Fingertip Sensitivity TIG Gauntlets

Designed for detailed TIG work where the operator needs to feel and feed the filler rod.

EN 388 2111X · EN 407 412X4X · EN 12477

Stock Code	Size / Specification
P3838/8	8
P3838/9	9
P3838/10	10



Product Information

Panther PRO TIG Gauntlets

Reinforced TIG gauntlet with coverage at the wrist and a more robust cuff.

EN 388 2121X · EN 407 412X4X · EN 12477

Stock Code	Size / Specification
P3839/8	8
P3839/9	9
P3839/10	10
P3839/11	11



Product Information

Panther BLACK Short TIG Glove

Soft goatskin and a short split-leather cuff for fine torch and filler control.

EN 12477 · EN 388 · EN 407

Stock Code	Size / Specification
P3832/7	7
P3832/8	8
P3832/9	9
P3832/10	10



Product Information

Try the glove with the torch

Check fit while holding the torch and feeding filler. A close fit improves feel, while a longer cuff provides more wrist and forearm coverage.

© R H Davey Welding Supplies Ltd | Design and editorial content

Rigger & Driver Gloves

Panther Canadian Rigger Gloves

Leather handling glove with a reflective knuckle strip for low-light work.

EN 388 4243X

Stock Code	Size / Specification
P3805/10	10



Product Information

Panther Cut-Resistant Rigger Glove

Choose where handling work calls for a cut-resistant rigger glove.

Stock Code	Size / Specification
P3806/7	7
P3806/8	8
P3806/9	9
P3806/10	10



Product Information

Panther Driver Gloves

Leather handling glove with lining for regular handling work.

EN 388 2121X

Stock Code	Size / Specification
P3855/7	7
P3855/8	8
P3855/9	9
P3855/10	10



Product Information

Panther Mesh Back Driver Gloves

Mesh back reduces bulk and improves airflow for handling work.

EN 388 3242X

Stock Code	Size / Specification
P3854/9	9
P3854/10	10



Product Information

Match the glove to the handling risk

Select cut protection for sharp stock and impact protection for knocks to the back of the hand. Check the individual markings for the hazards identified.

© R H Davey Welding Supplies Ltd | Design and editorial content

Rigger & Driver Gloves

Panther Cut-Resistant Driver Glove

Para-aramid lining for handling tasks that require a cut-rated glove.

EN 388 4X44D

Stock Code	Size / Specification
P3856/9	9
P3856/10	10



Product Information

Panther Impact Protection Driver Glove

TPE protectors on the fingers and back of the hand for tasks with a knock risk.

EN 388 4133XP

Stock Code	Size / Specification
P3857/8	8
P3857/9	9
P3857/10	10



Product Information

Panther Thermal Leather Glove

Insulated leather handling glove for cold conditions.

Stock Code	Size / Specification
P3815/10	10



Product Information

Match the glove to the handling risk

Select cut protection for sharp stock and impact protection for knocks to the back of the hand. Check the individual markings for the hazards identified.

© R H Davey Welding Supplies Ltd | Design and editorial content

Grip & Cut-Resistant Gloves

Panther PU Green Cut D

PU palm with a TDM cut level D rating for jobs that call for higher cut resistance.

EN 388 4X43D

Stock Code	Size / Specification
P3845/7	7
P3845/8	8
P3845/9	9
P3845/10	10
P3845/11	11



Product Information

Panther PU Red Cut A

Breathable PU-coated glove for dry handling where the risk assessment calls for cut level A.

EN 388 4131A

Stock Code	Size / Specification
P3860/6	6
P3860/7	7
P3860/8	8
P3860/9	9
P3860/10	10
P3860/11	11



Product Information

Panther PU Amber Cut B

A PU-coated option for dry handling where cut level B is specified.

EN 388 4X42B

Stock Code	Size / Specification
P3843/7	7
P3843/8	8
P3843/9	9
P3843/10	10
P3843/11	11



Product Information

Panther Nitrile Gripper

Nitrile-coated palm for handling where grip on damp or oily components matters.

EN 388 3131X

Stock Code	Size / Specification
P3870/6	6
P3870/7	7
P3870/8	8
P3870/9	9
P3870/10	10
P3870/11	11



Product Information

Use the cut rating on the glove

The colour helps identify the Panther variant. Use the EN 388 marking and its TDM cut letter when specifying a level of cut resistance.

© R H Davey Welding Supplies Ltd | Design and editorial content

Welding Jackets

Panther Welding Jacket

Split leather at the front and sleeves with an FR cotton back to reduce bulk and improve ventilation.

EN ISO 11611:2015 Class 2 A1

Stock Code	Size / Specification
P3788/M	M
P3788/L	L
P3788/XL	XL
P3788/XXL	XXL
P3788/XXXL	XXXL
P3788/XXXXL	XXXXL



Product Information

Panther BLACK Leather Sleeve Jacket

Leather sleeves over an FR cotton body for jobs where arm coverage and freedom of movement matter.

EN ISO 11611:2015 Class 2 A1

Stock Code	Size / Specification
P3787/M	M
P3787/L	L
P3787/XL	XL
P3787/XXL	XXL
P3787/XXXL	XXXL
P3787/XXXXL	XXXXL



Product Information

Panther BLACK Leather Cape Jacket

Leather extends over the shoulder as well as the sleeves for work with additional shoulder exposure.

EN ISO 11611:2015 Class 2 A1

Stock Code	Size / Specification
P3786/M	M
P3786/L	L
P3786/XL	XL
P3786/XXL	XXL
P3786/XXXL	XXXL
P3786/XXXXL	XXXXL



Product Information

Panther Full Leather Welding Jacket

Split cowhide construction with an adjustable wrist and stand-up collar.

Full split-leather construction

Stock Code	Size / Specification
P3782-M	M



Product Information

Choose where the leather sits

Match coverage to the areas exposed to heat and spatter. Check that cuffs and collars close properly and overlap with the rest of the PPE.

© R H Davey Welding Supplies Ltd | Design and editorial content

Aprons, Sleeves & Spats

Panther Leather Apron

Adjustable buckle and ties for added front coverage over suitable welding clothing.

EN ISO 11611:2015 Class 2 A1

Stock Code	Size / Specification
P3725	61 × 91cm



Product Information

Panther Leather Sleeve

Elasticated ends and an FR fabric insert for additional arm coverage with flexibility.

EN ISO 11611:2015 Class 2 A1

Stock Code	Size / Specification
P3765	46cm



Product Information

Panther Leather Spats

Additional coverage over suitable footwear and trouser hems.

EN ISO 11611:2015 Class 2 A1

Stock Code	Size / Specification
P3745	UK 6-11



Product Information

Aluminised Hand Shield

Straps over a compatible glove to add coverage against radiant heat.

Stock Code	Size / Specification
P3829	One



Product Information

Cover the gaps

Aprons, sleeves and spats add coverage where the task calls for it. Check overlap at the wrist, waist and footwear.

© R H Davey Welding Supplies Ltd | Design and editorial content

Inherently Flame-Retardant Clothing

Panther IFR Navy Coveralls

One-piece coverage with reflective tape. Select by body size and check movement when bending or reaching.

EN ISO 11612:2015 A1 A2 B1 C1 · EN ISO 11611 Class 1 A1 · EN 17353 Type B2 · EN 1149-5:2018

Stock Code	Size / Specification
P6210/S	S
P6210/M	M
P6210/L	L
P6210/XL	XL
P6210/XXL	XXL
P6210/XXXL	XXXL
P6210/XXXXL	XXXXL



Product Information

Panther IFR Navy Welding Jacket

Inherent FR fabric with reflective detailing. Coordinate with suitable trousers for coverage.

EN ISO 11612:2015 A1 A2 B1 C1 · EN ISO 11611 Class 1 A1 · EN 17353 Type B2 · EN 1149-5:2018

Stock Code	Size / Specification
P6310/S	S
P6310/M	M
P6310/L	L
P6310/XL	XL
P6310/XXL	XXL
P6310/XXXL	XXXL
P6310/XXXXL	XXXXL



Product Information

Panther IFR Quarter-Zip Sweatshirt

A warmer layer where its published ratings meet the assessed work requirements.

EN ISO 11612:2015 A1 A2 B1 C1 · EN ISO 11611 Class 2 A1 · EN 1149-5:2018

Stock Code	Size / Specification
P6510/S	S
P6510/M	M
P6510/L	L
P6510/XL	XL
P6510/XXL	XXL
P6510/XXXL	XXXL
P6510/XXXXL	XXXXL



Product Information

Make the layers work together

Inherent flame resistance is built into the fabric. Use the garment's own ratings and care instructions, and check compatibility of all layers and PPE.

© R H Davey Welding Supplies Ltd | Design and editorial content

Inherently Flame-Retardant Clothing

Panther IFR Concealed-Zip Polo

Lightweight top with a concealed zip. Check its thermal and electrostatic markings against the job.

EN ISO 11612:2015 A1 A2 B1 C1

Stock Code	Size / Specification
P6410/S	S
P6410/M	M
P6410/L	L
P6410/XL	XL
P6410/XXL	XXL
P6410/XXXL	XXXL
P6410/XXXXL	XXXXL



Product Information

Panther IFR Knitted Balaclava

Head and neck coverage. Check fit with the specified helmet or face protection.

EN ISO 11612:2015 · EN 1149-5:2018

Stock Code	Size / Specification
P6610	One



Product Information

© R H Davey Welding Supplies Ltd | Design and editorial content

PANTHER IFR

Cargo Trousers

Raised rear waist, cargo pockets and knee-pad pockets. Choose both waist size and leg option.

EN ISO 11612:2015 A1 A2 B1 C1 · EN ISO 11611 Class 1 A1 · EN 17353 Type B2 · EN 1149-5:2018



Waist	Short leg	Regular leg
28″	P6128/S	P6128/R
30″	P6130/S	P6130/R
32″	P6132/S	P6132/R
34″	P6134/S	P6134/R
36″	P6136/S	P6136/R
38″	P6138/S	P6138/R
40″	P6140/S	P6140/R
42″	P6142/S	P6142/R
44″	P6144/S	P6144/R
46″	P6146/S	P6146/R
48″	P6148/S	P6148/R

Adjust the leg length at the hem

The short leg can be released to regular length and the regular leg to long. Select the waist and base leg option when ordering.

Manufacturer reference

© R H Davey Welding Supplies Ltd | Design and editorial content

More Welding Gloves & Heat Shields

Red Welding Gauntlets

Lined split-leather gauntlet for general welding and workshop use.

Long cuff

Stock Code	Size / Specification
P3820/10	Size 10



Product Information

Reinforced Welding Gauntlets

Reinforced leather construction for welding tasks that need extra wear protection.

Stock Code	Size / Specification
P3821/9	Size 9



Product Information

Reversible Welding Gauntlets

Ambidextrous gauntlets allow either glove to be worn on either hand.

Stock Code	Size / Specification
P3826/11	Size 11



Product Information

Choose Dexterity Or Added Coverage

TIG work benefits from close fit and feel. MIG and heavy welding generally need more insulation and cuff coverage. Finger and hand shields supplement suitable gloves.

© R H Davey Welding Supplies Ltd | Design and editorial content

More Welding Gloves & Heat Shields

Cowhide TIG Gauntlets

Grain leather with an extra-long cuff for torch handling and filler control.

Stock Code	Size / Specification
P3830/10	Size 10



Product Information

Goatskin TIG Gauntlets

Gusseted fingers, reinforced thumb and wrist patch, with a 150mm cowhide cuff.

Stock Code	Size / Specification
P3835/10	Size 10



Product Information

TIG Finger Heat Shield

Adds a heat barrier when steadying the torch hand close to hot work.

Stock Code	Size / Specification
TF1	Standard
TF2	XL



Product Information

Choose Dexterity Or Added Coverage

TIG work benefits from close fit and feel. MIG and heavy welding generally need more insulation and cuff coverage. Finger and hand shields supplement suitable gloves.

© R H Davey Welding Supplies Ltd | Design and editorial content

Handling Gloves & Protective Sleeves

Double-Palm Rigger

Reinforced palm, fingers and thumb for demanding handling work.

Stock Code	Size / Specification
P3801/10	Size 10



Product Information

Power Rigger

Lined split-leather handling glove with rubberised cuff and elasticated back.

Stock Code	Size / Specification
P3802/10	Size 10
S3802	Power rigger



Product Information

Mechanic Gloves

Synthetic leather, reinforced palm and knuckles, fingertip wear pads and adjustable cuff.

Stock Code	Size / Specification
P3810/10	Size 10



Product Information

Handling Gloves Are Task-Specific

Choose the published mechanical, thermal and cut protection for the job. General handling gloves do not replace welding gauntlets. Check the marking on the exact glove being supplied.

© R H Davey Welding Supplies Ltd | Design and editorial content

Handling Gloves & Protective Sleeves

Leather Driver Gloves

Supple leather handling glove for gripping components and general workshop handling.

Stock Code	Size / Specification
P3850/7	Size 7
P3850/8	Size 8
P3850/9	Size 9
P3850/10	Size 10



Product Information

Leather Freezer Gloves

Full-grain cowhide with cotton-fleece lining for handling in cold conditions.

Stock Code	Size / Specification
P3803/9	Size 9
P3803/10	Size 10



Product Information

Thermal Latex Gloves

Brushed liner and latex palm for grip during colder handling work.

Stock Code	Size / Specification
P3840/9	Size 9
P3840/10	Size 10
P3840/11	Size 11



Product Information

Handling Gloves Are Task-Specific

Choose the published mechanical, thermal and cut protection for the job. General handling gloves do not replace welding gauntlets. Check the marking on the exact glove being supplied.

© R H Davey Welding Supplies Ltd | Design and editorial content

Handling Gloves & Protective Sleeves

PU Lite Gloves

Lightweight PU-coated handling glove for dry components and fine assembly.

Stock Code	Size / Specification
P3862/8	Size 8
P3862/9	Size 9
P3862/10	Size 10
P3862/11	Size 11



Product Information

Nitrile Lite Gloves

Nitrile palm for handling components where oil or moisture affects grip.

Stock Code	Size / Specification
P3872/8	Size 8
P3872/9	Size 9
P3872/10	Size 10
P3872/11	Size 11



Product Information

Para-Aramid Protective Sleeves

Seamless flexible sleeve with thumb slot to keep it located during handling work.

Stock Code	Size / Specification
P4210	10in length
P4212	12in length
P4218	18in length
P4222	22in length



Product Information

Handling Gloves Are Task-Specific

Choose the published mechanical, thermal and cut protection for the job. General handling gloves do not replace welding gauntlets. Check the marking on the exact glove being supplied.

© R H Davey Welding Supplies Ltd | Design and editorial content

Leather Clothing & FR Headwear

Red Leather Welding Jacket

Full leather coverage with protected fasteners for sparks and welding spatter.

Stock Code	Size / Specification
P3780/M	M
P3780/L	L
P3780/XL	XL
P3780/XXL	XXL
P3780/XXXL	XXXL



Product Information

Red Leather Apron

Front coverage over suitable protective clothing, with buckle and ties for adjustment.

Stock Code	Size / Specification
P3720	61 × 91cm



Product Information

Red Leather Sleeves

Elasticated cuff for additional arm coverage against sparks and spatter.

Stock Code	Size / Specification
P3760	46cm



Product Information

Red Leather Spats

Coverage over suitable footwear and trouser hems.

Stock Code	Size / Specification
P3740	One size



Product Information

Keep Protective Layers Overlapping

Close collars and cuffs, cover trouser hems and check the fit with gloves and head protection. FR headwear supplements the selected helmet and clothing.

© R H Davey Welding Supplies Ltd | Design and editorial content

Leather Clothing & FR Headwear

Lined FR Hood

Adjustable front-fastening hood with a short cape for head and neck coverage.

Stock Code	Size / Specification
P3940	One size



Product Information

Everyday FR Hood

FR-treated cotton hood with front fastening and short cape.

Stock Code	Size / Specification
P3942	One size



Product Information

Long-Cape FR Hood

Longer cape extends coverage over the neck and shoulders.

Stock Code	Size / Specification
P3950	One size



Product Information

FR Bandana

FR-treated cotton bandana for use as part of a compatible protective clothing system.

Stock Code	Size / Specification
P3960	One size



Product Information

Keep Protective Layers Overlapping

Close collars and cuffs, cover trouser hems and check the fit with gloves and head protection. FR headwear supplements the selected helmet and clothing.

© R H Davey Welding Supplies Ltd | Design and editorial content

Safety Spectacles

Panther Anti-Fog Spectacles

Clear wraparound lens with anti-fog coating and a soft brow bar.

EN 166

Stock Code	Size / Specification
P3446	Clear / anti-fog



Product Information

Sport Safety Spectacles

Clear wraparound lens for general eye protection during workshop preparation.

Stock Code	Size / Specification
P3442	Blue frame / clear lens
P3442R	Red frame / clear lens



Product Information

Panoramic Safety Spectacles

One-piece lens with integrated side coverage; choose the lens for the working conditions.

Stock Code	Size / Specification
P3400	Clear
P3400A	Amber
P3400S	Smoke



Product Information

Adjustable Safety Spectacles

Adjustable arms help achieve a secure fit for everyday workshop handling.

Stock Code	Size / Specification
P3410	Clear
P3410A	Amber
P3410S	Smoke



Product Information

Select The Lens For The Task

Clear, amber and smoke lenses are not welding filters. Select a suitable welding shade for the process and current; use a helmet for arc welding.

© R H Davey Welding Supplies Ltd | Design and editorial content

Safety Spectacles

Clear Safety Spectacles

Adjustable side arms for general-purpose clear-lens eye protection.

Stock Code	Size / Specification
P3420	Clear



Product Information

Visitor Overspectacles

Designed to fit over prescription spectacles for visitors and workshop personnel.

Stock Code	Size / Specification
P3430	Clear



Product Information

Large-Lens Spectacles

Large wraparound lens for a broad field of vision during preparation and handling.

Stock Code	Size / Specification
P3448	Clear



Product Information

Shade 5 Welding Spectacles

Shade 5 lens for suitable gas welding, brazing and cutting applications.

Not an arc-welding helmet

Stock Code	Size / Specification
P3444	Shade 5



Product Information

Select The Lens For The Task

Clear, amber and smoke lenses are not welding filters. Select a suitable welding shade for the process and current; use a helmet for arc welding.

© R H Davey Welding Supplies Ltd | Design and editorial content

Goggles & Face Protection

Panoramic Safety Goggles

Goggles that can be worn over prescription spectacles; select direct or indirect ventilation.

Stock Code	Size / Specification
P3300	Clear / indirect vent
P3300D	Clear / direct vent



Product Information

Clear Ski-Type Goggles

Wide-view clear goggles for preparation work requiring enclosed eye protection.

Stock Code	Size / Specification
P3305	Clear



Product Information

Shade 5 Ski-Type Goggles

Wide-view shade 5 lens in a soft moulded goggle body.

Stock Code	Size / Specification
P3310	Shade 5



Product Information

Face Shields And Goggles Serve Different Roles

Use eye protection beneath a face shield where the risk assessment requires it. Gas-welding goggles and shaded visors are not substitutes for an arc-welding helmet.

© R H Davey Welding Supplies Ltd | Design and editorial content

Goggles & Face Protection

Round Flip-Up Goggles

Flip between the clear lens and shade 5 filter for suitable gas-welding work.

Stock Code	Size / Specification
P3330	50mm round lens



Product Information

Rectangular Flip-Up Goggles

Rectangular flip-front goggle with clear and shade 5 lenses.

Stock Code	Size / Specification
P3390	108 × 50mm filter



Product Information

Brow Guard & Visors

Combine the brow guard with the visor required for the preparation or cutting task.

Stock Code	Size / Specification
P3266	Brow guard
P3261	Clear / 8 × 12in
P3261-5	Shade 5 / 8 × 12in
P3260-3	Shade 3 / 8 × 15.5in
P3260-5	Shade 5 / 8 × 15.5in





P3261



P3260-5

Product Information

Face Shields And Goggles Serve Different Roles

Use eye protection beneath a face shield where the risk assessment requires it. Gas-welding goggles and shaded visors are not substitutes for an arc-welding helmet.

© R H Davey Welding Supplies Ltd | Design and editorial content

Hearing & Disposable Respiratory Protection

Disposable Foam Earplugs

Compressible foam plugs for suitable noise-exposure control. Correct insertion is essential.

Stock Code	Size / Specification
P3500	Foam earplugs



Product Information

Duo Band Earplugs

Banded ear protection for suitable workshop noise-exposure control.

Stock Code	Size / Specification
P3530	Duo band earplugs

Product Information

Adjustable Ear Defenders

Adjustable headband defenders for suitable general workshop noise exposure.

Stock Code	Size / Specification
P3590	SNR 24dB



Product Information

Choose RPE For The Exposure

A tight-fitting respirator needs a face-fit test and an effective seal. Particulate filters do not supply oxygen or protect against gases and vapours. Ask R H Davey for help matching the equipment to the task.

© R H Davey Welding Supplies Ltd | Design and editorial content

Hearing & Disposable Respiratory Protection

Valved FFP3 Respirator

Disposable particulate respirator with an exhalation valve.

Stock Code	Size / Specification
P3130V	White / FFP3



Product Information

Carbon-Layer FFP3 Respirator

Particulate respirator with a carbon layer for nuisance odour reduction.

Stock Code	Size / Specification
P3132V	Grey / FFP3



Product Information

© R H Davey Welding Supplies Ltd | Design and editorial content

Fixed-Shade Glass Filter Lenses

Choose the correct shade and physical dimensions for the helmet. Use with a clear cover lens.



Measure Before Ordering

These are fixed-shade glass filters, not auto-darkening cartridges. Check width and height against the existing holder. Choose the shade for the process, current and viewing conditions.

Shade	108 × 50mm	108 × 82mm	133 × 114mm	108 × 55mm	110 × 60mm	110 × 90mm
8	LS0850	LS0882	LS0813	LS0855	LS0860	LS0890
9	LS0950	LS0982	LS0913	LS0955	LS0960	LS0990
10	LS1050	LS1082	LS1013	LS1055	LS1060	LS1090
11	LS1150	LS1182	LS1113	LS1155	LS1160	LS1190
12	LS1250	LS1282	LS1213	LS1255	LS1260	LS1290
13	LS1350	LS1382	LS1313	LS1355	LS1360	LS1390

Protect The Filter Surface

A clear cover lens protects the filter from spatter and scratching. Replace damaged covers so the weld remains visible; do not substitute a clear cover for a welding filter.

Filter Lens Ordering Dimensions

© R H Davey Welding Supplies Ltd | Design and editorial content

Cover & Magnifying Lenses

Clear Glass Cover Lenses

Clear sacrificial cover lenses for compatible welding helmets.

Stock Code	Size / Specification
LC0050	108 × 50mm
LC0082	108 × 82mm
LC1055	110 × 55mm
LC0133	133 × 114mm
LC1060	110 × 60mm
LC1090	110 × 90mm



Product Information

Polycarbonate Cover Lenses

Impact-resistant clear covers; select the dimensions required by the holder.

Stock Code	Size / Specification
LP0047	103 × 47mm
LP0050	108 × 50mm
LP0060	110 × 60mm
LP0082	108 × 82mm
LP0133	114 × 133mm



Product Information

CR39 Cover Lenses

Clear CR39 cover lenses for the listed rectangular helmet openings.

Stock Code	Size / Specification
LCR3950	108 × 50mm
LCR3982	108 × 82mm
LCR3933	133 × 114mm



Product Information

Diopter Lenses

Magnifying lenses to assist close viewing through a compatible welding helmet.

108 × 50mm

Stock Code	Size / Specification
LD1050	+1.0
LD1550	+1.5
LD2050	+2.0
LD2550	+2.5
LD3050	+3.0



Product Information

Order By Material And Dimensions

Check the holder and existing lens before choosing glass, polycarbonate or CR39. Send the helmet model and lens measurements if you need help.

© R H Davey Welding Supplies Ltd | Design and editorial content

Screens, Blankets & Workplace Protection

Orange PVC Welding Curtains

Low-visibility orange PVC curtains with eyelets on all four sides.

BS EN ISO 25980:2014

Stock Code	Size / Specification
P3646O	1.2 × 1.8m
P3666O	1.8 × 1.8m
P3886O	2.4 × 1.8m



Product Information

Green PVC Welding Curtains

Dark green PVC curtain for screened welding bays.

BS EN ISO 25980:2014

Stock Code	Size / Specification
P3646G	1.2 × 1.8m
P3666G	1.8 × 1.8m
P3886G	2.4 × 1.8m



Product Information

Green Canvas Welding Curtains

Dark green canvas curtains with eyelets for movable welding-bay frames.

Stock Code	Size / Specification
P3646CG	1.2 × 1.8m
P3666CG	1.8 × 1.8m
P3886CG	2.4 × 1.8m



Product Information

Protect People Beyond The Welding Bay

Position screens to shield nearby workers without blocking safe access or ventilation. Select blanket material and thickness for the exposure; temperature ratings are not a guarantee for every contact condition.

© R H Davey Welding Supplies Ltd | Design and editorial content

Screens, Blankets & Workplace Protection

Steel Frames & Curtain Rings

Create a movable screened bay; choose the frame to suit the curtain width.

Stock Code	Size / Specification
P3666FR	1.8 × 1.8m frame
P3886FR	2.4 × 1.8m frame
FR-EXT	0.6m frame extension
P3610	Curtain rings



Product Information

Curtain & Frame Kits

Ready-matched frame and curtain combinations for workshop welding bays.

Stock Code	Size / Specification
P3666FRCG	1.8 × 1.8m / green canvas
P3886FRCG	2.4 × 1.8m / green canvas
P3886FRG	2.4 × 1.8m / green PVC
P3886FRO	2.4 × 1.8m / orange PVC



Product Information

Welding Tent

Portable covered welding workspace, with separate replacement frame and cover.

Stock Code	Size / Specification
WT1222	Complete tent kit
WT1222/FR	Frame only
WT1222/C	Cover only



Product Information

Protect People Beyond The Welding Bay

Position screens to shield nearby workers without blocking safe access or ventilation. Select blanket material and thickness for the exposure; temperature ratings are not a guarantee for every contact condition.

© R H Davey Welding Supplies Ltd | Design and editorial content

Screens, Blankets & Workplace Protection

600°C Welding Blankets

430g/m² woven glass-fibre material for sparks and spatter shielding.

Supplier temperature rating: 600°C

Stock Code	Size / Specification
P3621	2 × 1m
P3622	2 × 2m
P3623	3 × 2m
P3630	50 × 1m roll



Product Information

1000°C Welding Blankets

Heavier 880g/m² glass-fibre material for higher-temperature shielding applications.

Supplier temperature rating: 1000°C

Stock Code	Size / Specification
P3624	2 × 1m
P3625	2 × 2m
P3631	50 × 1m roll



Product Information

25m Welding Blanket Roll

Roll format for cutting protective covers to suit the work area.

Stock Code	Size / Specification
P3634	25 × 1m roll



Product Information

Protect People Beyond The Welding Bay

Position screens to shield nearby workers without blocking safe access or ventilation. Select blanket material and thickness for the exposure; temperature ratings are not a guarantee for every contact condition.

© R H Davey Welding Supplies Ltd | Design and editorial content