R H DAVEY / PRODUCT CATALOGUE

WORKSHOP EQUIPMENT

Workholding, drilling, site services, extraction and compressed air.



Contents

Specify the Tooling	W-02
Pipe Cutting, Bevelling & Fit-Up	W-03
Magnetic Drills & Cutting Tooling	W-04
Workshop Tools & Workholding	W-05
RUKO ULTIMATECUT & FLOWSTEP	W-06
FEIN VARIO & Cordless Impact	W-07
Strong Hand Tools	W-08
Parweld Industrial Markers	W-09
Gas Regulation & Fume Extraction	W-10
Air Hoses, Couplings & Fittings	W-11
Site Lighting & Distribution	W-12
Mighty Seven Air Tools	W-13
Weldgas · Regulator Selection	W-14
KEMPER Local Extraction	W-15
KEMPER Engineered Extraction	W-16
Yahanda Welding Tables	W-17
Yahanda Clamps & Fixtures	W-18
Yahanda Table & Fixture Order Codes	W-19
KEMPER Extraction Order Codes	W-20
Perfect Pairs 01 · Metabo WEA & Tyrolit Rondeller	W-22
FIAC Air Compressors	W-23
Metabo WEA Auto-Balancer	W-27
Orders & Enquiries	W-28
Weldgas Fitted Gas Hoses	W-27A
ABICOR BINZEL Anti-Spatter Products	W-27G

© R H Davey Welding Supplies Ltd · Design and editorial content

Specify the Tooling

Identify the workpiece and tool interface before choosing the order reference.

Pipe Cutting, Bevelling and Fit-Up

Record pipe OD, wall thickness, material and tool clearance.
GBC MCA1 · 33.4–108mm pipe OD

Full selection and ordering guide

Magnetic Drills and Annular Cutters

Check supply voltage, cutter shank, hole diameter and depth of cut.
JEI MiniBeast LP35+ · 110V · DRILL-LP35P/1

Full selection and ordering guide

Cordless Drilling and Tapping

Match the holder to the driver and specify drill diameter or thread size.
For FEIN VARIO, check the interface before choosing a tool or adapter.

Full selection and ordering guide

© R H Davey Welding Supplies Ltd · Design and editorial content

CUTTING & FABRICATION

Pipe Cutting, Bevelling & Fit-Up

Choose by pipe diameter, wall, material, access and the required bevel or cut.



GBC Pipe Tools

Pipe bevelers, cold-cutting and splitting equipment, pipe supports and fit-up tooling. Selected equipment available for cross-hire.

Info Hub PDF



Exact Tools

Portable pipe saws, bevelling tools, blades and pipe supports. Select the machine and blade by material and diameter.

Info Hub PDF

Product or configuration	Order reference
GBC split-frame cutter · 33.4–108 / 50–165mm OD	MCA1 / MCA2
GBC chain-guided cold cutter · 406.4–3,048mm OD	TAF120
Exact 170E / 220E · 110 V	7010463-110 / 7010437-110
Exact 220 Pro 2.0 / 360 Pro 2.0 · 110 V	7020220-110 / 7020360-110
Exact P400 mains 110 V / P400 battery 18 V	7010401-110 / 7048135
Exact P1000 · 110 V	7010423-110



GBC pipe preparation

Send the pipe outside diameter, wall thickness and access limits when enquiring about bevel geometry or cross-hire.

© R H Davey Welding Supplies Ltd · Design and editorial content

CUTTING & FABRICATION

Magnetic Drills & Cutting Tooling

Start with the drilling diameter, depth and available access, then choose the holder and cutter.



JEI Magnetic Drills

Portable magnetic drills and machine options. Compare cutter capacity, stroke, feed and tapping requirements.

Info Hub PDF



JEI Cutting Tooling

HSS and TCT annular cutters, TCT holesaws, pilots and related drilling and tapping tooling.

Ordering guide
Range guide



JEI SteelBeast

Fabrication machinery and options for cutting, bevelling, drilling and related workshop operations.

Info Hub PDF



Terrax by RUKO

DIN 338 drills, Weldon cutters, countersinks and metric threading tools.

Info Hub PDF

Product or configuration	Order reference
JEI MiniBeast LP35+ · 110 V / 240 V	DRILL-LP35P/1 / DRILL-LP35P/2
JEI HM50 · 110 V / 240 V	DRILL-HM50 / DRILL-HM50/2
JEI HSS cutter · 18mm × 25mm	JEICS18
JEI SteelBeast BM-18	BM18/1
Terrax 19 pc HSSE-Co 5 drill set · steel case	A215214
Terrax 30mm Weldon core cutter set · HSS / TiN	A108820 / A108820T
Terrax M3–M12 HSS machine tap set · Form B / C	A245057TX / A245058TX



Cutter and pilot selection

Match cutter depth and shank to the drill. Include the pilot, arbor and lubrication when ordering a complete setup.

© R H Davey Welding Supplies Ltd · Design and editorial content

CUTTING & FABRICATION

Workshop Tools & Workholding

Specify the hand tool, clamping geometry or brush width for the job.



FEIN Power Tools

Metalworking tools for drilling, cutting, grinding, finishing and assembly. Check voltage, battery platform and kit contents.

Info Hub PDF



Bessey Welding & Table Clamps

Clamps for bench and table work, welding fixtures and pipe or angle fit-up. Match capacity, reach and table hole pattern.

Info Hub PDF



Toolbank Economy Paint Brushes

Black plastic handle and synthetic bristles. Five widths with bulk quantity breaks.

Info Hub PDF

Product or configuration	Order reference
FEIN 18 V boxed drill/driver · 40/30 Nm	99100001552
FEIN 18-4 QM AS QuickIN set	71161566000
Bessey GS16K / GS20K / GS30K	BE104770 / BE104774 / BE104783
Black-handle paint brush · 25mm / 1″	MIS75SC25
Black-handle paint brush · 38mm / 1½″	MIS75SC38
Black-handle paint brush · 50mm / 2″	MIS75SC50
Black-handle paint brush · 75mm / 3″	MIS75SC75
Black-handle paint brush · 100mm / 4″	MIS75SC100

© R H Davey Welding Supplies Ltd · Design and editorial content

CUTTING & FABRICATION

RUKO ULTIMATECUT & FLOWSTEP

Select HSS or cobalt for twist drilling, then match the cutting geometry to the operation.



RUKO ULTIMATECUT

FLOWSTEP helps start holes on curved stock. The Multidrill cuts up to 10mm deep in structural steel. 4S BOOST reduces chatter when seating fasteners.

Info Hub PDF

Product or configuration	Order reference
FLOWSTEP Ø 6.8mm twist drill · HSS / HSS-Co 5	259068 / 259068E
FLOWSTEP HSS / cobalt 19 pc set · Ø 1–10mm	259214RO / 259214ERO
Coated cobalt FLOWSTEP step drill set · 3 pc	101626EPRO
Coated FLOWSTEP multidrill set · 3 pc	101687PRO
4S BOOST 90° coated cobalt set · 6 pc	102890EPRO
Coated combi tap set · M3–M10	270620PRO

© R H Davey Welding Supplies Ltd · Design and editorial content

CUTTING & FABRICATION

FEIN VARIO & Cordless Impact

Match the adapter to the machine drive, then choose the drilling, countersinking or through-tapping tool.



FEIN VARIO

Swap drills, countersinks and taps on one cordless setup. Use ½ in ASCD for tapping to M18 and ¾ in ASCD for through-thread rework to M30.

Info Hub PDF

Product or configuration	Order reference
ASCD 18-300 W2 AS · ½ in bare tool	71151061000
ASCD 18-300 W2 AS · tapping set	71151065000
ASCD 18-1000 W34 AS · ¾ in	71151261000
VARIO adapter · ½ in / ¾ in / QuickIN	64203028010 / 64203029010 / 64203030010
VARIO twist drill set · 6.8–12mm	63111050010
VARIO 90° countersink · Ø 16.5mm	63901080010
VARIO five-piece through-tap set · M8–M16	63110046010

© R H Davey Welding Supplies Ltd · Design and editorial content

CUTTING & FABRICATION

Strong Hand Tools

Welding tables, fixtures and fit-up tools.

Rhino Cart & 66-Piece Kit

TDQ612075-K1

1200 × 750mm reversible nitrided top
Ø16mm holes on 50 × 50mm centres
680kg static load capacity
Includes TDK6100 fixtures. Side extensions are optional.



Strong Hand Tools range guide

Product or configuration	Size / specification	Order reference
Rhino Cart + 66-piece kit	1200 × 750mm · Ø16mm grid	TDQ612075-K1
Nomad folding table	760 × 510mm · 160kg load	TS3020FKM
Ball-lock bolt	22–27mm adjustment	T65055
Round-tip locking C-clamp pliers	Round-tip jaws	PR6
Two-axis welder's angle clamp	4.3kg	WAC34

© R H Davey Welding Supplies Ltd · Design and editorial content

Parweld Industrial Markers

Markal, Sakura and French chalk.



Parweld

Markal, Sakura and French chalk.

Info Hub PDF

Product or configuration	Order reference
Markal Thermomelt Heat-Stik · 52°C / 125°F	86436
Original solid · 12mm · Yellow	XSC3RT
Extra-bold metal · 10mm · White	PKKJ50
Pen-Touch · 2mm · White	42300SE
Flat French chalk · Box of 144	FCF144

© R H Davey Welding Supplies Ltd · Design and editorial content

Gas Regulation & Fume Extraction

Match regulators to the gas and connection. Choose a fume extraction system by the process and capture point.



Weldgas Regulators

Eco and Premium single-stage, two-stage, high-pressure and outlet-point regulators. Nevoc/Unitor shipping-spec connection adaptations available on request.

Info Hub PDF



CP7 & CP47 Examination

CP7 covers applicable portable oxy-fuel sets. CP47 covers applicable portable single-cylinder regulated supplies, such as argon for MIG or TIG.

Info Hub PDF



KEMPER Fume Extraction

Mobile, stationary, on-torch and central extraction. Select the capture point and filter around the work.

Info Hub PDF

Product or configuration	Order reference
Weldgas oxygen · 0–10 bar · base entry	GAS0002
Weldgas argon · 0–35 L/min · base entry	GAS0001
Weldgas propane outlet-point regulator · 0–4 bar	GAS1058
KEMPER SmartMaster / SmartFil	64300 / 64650100
KEMPER MaxiFil Clean / WallMaster	67250105 / 65750
KEMPER VacuFil Compact / Compact Twin	82361 / 82380

Welding Fume Control · Workshop Guide to HSE WL3

Match the control to the task, then check capture and protection during the weld.

Mobile hood 64300 · fixed 5m arm 65850103 · on-torch unit 601.0192.1 · TH3 PAPR 6044

Read the WL3 workshop guide

KEMPER extraction selector · choose by process and workload

KEMPER model order codes · W-15

Yahanda table and fixture order codes · W-17

© R H Davey Welding Supplies Ltd · Design and editorial content

Air Hoses, Couplings & Fittings

Choose the coupling profile before checking thread type, hose bore and working pressure.



Draper Air Line Fittings

Hoses, reels, tailpieces, unions, couplings and adaptors. PCL Standard, Vertex, M100 and Euro options by profile.

Info Hub PDF



Air Line Fittings

Standard PCL long-barb and XF High Flow listed separately, with adaptors, couplings and hose fittings.

Info Hub PDF

Product or configuration	Order reference
Draper Expert 15 m reel / Draper 20 m reel	15050 / 70838
Draper retractable reel · 12 / 15 / 20 / 30 m	29662 / 29669 / 29675 / 29676
Standard PCL male coupling · ¼ / ⅜ / ½ in	BSM20-14 / BSM20-38 / BSM20-12
XF High Flow male coupling · ¼ / ⅜ / ½ in	ESM20-14 / ESM20-38 / ESM20-12



Draper retractable hose reel

For reel replacement, check hose bore, length and inlet thread as well as the coupling profile on the outlet.

Coupling profile	Connection	Order codes in size order
Standard PCL long-barb	1/4, 5/16, 3/8 in hose bore	BPH20-14 / BPH20-516 / BPH20-38
Euro / XF High Flow	1/4, 3/8, 1/2 in female coupling	ESF20-14 / ESF20-38 / ESF20-12

SWP hose tails, couplings and adaptors

© R H Davey Welding Supplies Ltd · Design and editorial content

Site Lighting & Distribution

Choose a lighting format, then verify the exact certification and electrical setup for the site.



Shindaiwa UK / Site Bright

ExMP personal lights, BLD180, M1 and Ultra area lights, industrial lighting, ATEX splitters, transformers and leads.

Info Hub PDF

Application	Model reference
Rechargeable ATEX torch / handlamp / headtorch	ExMP31R / ExMP52R / ExMP61R
ATEX portable area lights	BLD180 ATEX / M1-25 ATEX / ExMP80R / ExMP81R
Industrial non-ATEX work lights	INMP80R / INMP81R / INMP82R / M1-25E / M1-50

For hazardous areas, check the equipment certificate and marking for the exact installation. The Shindaiwa ordering guide lists the 32 UK catalogue lines.



Site Bright splitter box

For a temporary supply, confirm voltage, outlets, cable runs and the area classification for every component in the system.

© R H Davey Welding Supplies Ltd · Design and editorial content

Mighty Seven Air Tools

Pneumatic tools for fabrication and maintenance.



Mighty Seven

Pneumatic tools for fabrication and maintenance.

Info Hub PDF

Product or configuration	Order reference
3390 Nm 1" Drive Air Impact Wrench	NC-8342
M3 - M12 Air Hydraulic Rivet Nut Setter	PB-2601
25000 BPM 0.58 Chisel Air Hammer Round Shank	SN-3121C
2200 RPM 3/8" Air Reversible Drill with Key Chuck	QE-533
7000 RPM Lever Type Throttle Air Angle Grinder	QB-117
7000 SPM Gear Driven Air Saw	QD-501
10000 RPM 6" Self-Generating Vacuum Air Random Orbital Sander QB-43	QB-43
1/2" Impact Standard Socket	MA431M13
Lever Type Tyre Inflator	SB-501

© R H Davey Welding Supplies Ltd · Design and editorial content

GAS, AIR & WORKSHOP

Weldgas · Regulator Selection

Choose the gas, delivery range and entry orientation. Select the required inlet and outlet connections.
This quick order table covers common Weldgas ECO configurations.

Gas / service	Delivery range	Base entry	Side entry	Cylinder inlet
Argon / Ar-CO2	0–35 L/min	GAS0001	GAS0011	BS341 No. 3
Oxygen	0–10 bar	GAS0002	GAS0012	BS341 No. 3
Oxygen	0–4 bar	GAS0016	—	BS341 No. 3
Acetylene	0–1.5 bar	GAS0003	GAS0013	BS341 No. 4
Propane	0–4 bar	GAS0007 · plugged	GAS0018	BS341 No. 4
CO2	0–10 bar	GAS0004	GAS0014	BS341 No. 8

Premium Workshop Options

Gas	Delivery range	Base entry	Side entry
Oxygen	0–10 bar	GAS1025	GAS1032
Oxygen	0–4 bar	GAS1024	GAS1031
Acetylene	0–1.5 bar	GAS1026	GAS1033
Propane	0–4 bar	—	GAS1034

Specify Cylinder and Equipment Connections

Quote both connection standards and the required delivery range.
Adaptations to Nevoc/Unitor shipping-specification connections are available on request.

Weldgas technical data, connections and full order codes

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER Local Extraction

Use the KEMPER order reference and check your extraction duty and installation.

Mobile Arm Extraction

Model	Configuration / Filter	KEMPER Ref.
SmartMaster	1 x 230 V / 50 Hz	64300
ProfiMaster · One Arm	3 x 400 V / 50 Hz	60650104
ProfiMaster · Two Arms	3 x 400 V / 50 Hz	60650DA100
SmartFil	3 x 400 V / 50 Hz	64650100
MaxiFil	1 x 110 V - 50 Hz	65653100
MaxiFil AK	3 x 400 V / 50 Hz	65650AK102
FilterMaster XL	3 x 400 V / 50 Hz	62100102
MaxiFil Clean	3 x 400 V / 50 Hz	67250105

Stationary Extraction

Model	Configuration / Filter	KEMPER Ref.
MaxiFil Stationary	3 x 400 V / 50 Hz	65850107
Cartridge Filter Unit · One Arm	3 x 400 V / 50 Hz	83100106
Cartridge Filter Unit · Two Arms	3 x 400 V / 50 Hz	83200106
WallMaster	Replaceable	65750
FilterCell XL	1 x 230 V / 50 Hz	6020204

High-Vacuum Extraction

Model	Configuration / Filter	KEMPER Ref.
Dusty Evo	1 x 110 V / 50 - 60 Hz	63202
VacuFil Compact	3 x 400 V / 50 Hz	82361
VacuFil Compact Twin	3 x 400 V / 50 Hz	82380
VacuFil 500	3 x 400 V / 50 Hz	82755
VacuFil 2000	3 x 400 V / 50 Hz	82820
VacuFil 4000	3 x 400 V / 50 Hz	82840

KEMPER range guide and accessory references

© R H Davey Welding Supplies Ltd · Design and editorial content

GAS, AIR & WORKSHOP

KEMPER Engineered Extraction

Use the KEMPER order reference and check your extraction duty and installation.



CHECK BEFORE ORDERING

Confirm the supply, capture method and number of workstations running at the same time.

Filter loading and lifespan selector

Central Extraction

Model	Configuration / Filter	KEMPER Ref.
WeldFil Compact	3 × 400V / 50Hz	3475
WeldFil	3 x 400 V / 50 Hz	34270
ArcFil	3 x 380 - 415 / 50 Hz	20531
ArcFil Pro	3 x 400 V / 50 Hz	3565
PlasmaFil	3 x 380 - 415 / 50 Hz	22230
PlasmaFil Pro	3 x 400 V / 50 Hz	3250112
LaserFil	3 x 380 - 415 / 50 Hz	27760
LaserFil Pro	3 x 400 V / 50 Hz	3720

Hall Ventilation

Model	Configuration / Filter	KEMPER Ref.
AirDome	3 x 400 V / 50 Hz	390650
CleanAirTower	3 x 400 V / 50 Hz	390620
CleanAirTower SF 9000	3 × 400V / 50Hz	390450
KemJet	3 x 400 V / 50 Hz	998800407

Integrated Extraction Tables

Model	Configuration / Filter	KEMPER Ref.
FilterTable Clean	3 x 400 V / 50 Hz	95520501
FilterTable	1 × 230V / 50Hz	950400006
FilterTable GWT	3 x 400 V / 50 Hz	950400020

KEMPER range guide and accessory references

© R H Davey Welding Supplies Ltd · Design and editorial content

Yahanda Welding Tables

Choose the hole system and footprint. Use the matching kit to build out the fixture.







Table	Dimensions	Stock Code
D16 ECO-2D + accessory kit	1200 × 750 × 850mm	YHD16ES1275
D16 3D	1200 × 800 × 100mm	YHD16S1208N
D16 3D	3000 × 1500 × 100mm	YHD16S3015N
D28 3D	1500 × 1000 × 200mm	YHD28S1510N
D28 3D	2000 × 1000 × 200mm	YHD28S2010N
D28 3D	2400 × 1200 × 200mm	YHD28S2412N
D28 3D	3000 × 1500 × 200mm	YHD28S3015N

ECO-2D includes stand height. On 3D tables the last dimension is side-face depth.

Accessory Kits

Kit	D16	D28
81 pieces · Kit 2	D16KIT2	D28KIT2
111 pieces · Kit 3	D16KIT3	D28KIT3

Yahanda welding tables and fixturing guide

© R H Davey Welding Supplies Ltd · Design and editorial content

GAS, AIR & WORKSHOP

Yahanda Clamps & Fixtures

Match the fixture to the table bore. Choose D16 for 16mm tables or D28 for 28mm tables.

Product Photo	Fixture	D16 Order Code	D28 Order Code
 D16 D28	**45° Inclinable Clamp · Type A**	YHD16YSQ200	YHD28YSQ300
 D16 D28	**Telescopic Clamp · Type A**	YHD16YSS200	YHD28YSS300
	**Vertical Toggle Clamp · Type A**	YHD16JY200S	YHD28JY200S
	**Locating Angle · Type B**	YHD16JC90	YHD28JC175
	**Locating Angle · Type C**	YHD16JC90HS	YHD28JC175HS
 D16 D28	**Locating Bar · Type C**	YHD16PC115	YHD28PC225
 D16 D28	**Quick Locking Bolt · Type A**	YHD16KS1624	YHD28KS2850
	**Ground Connector**	YHD16JD60	YHD28JD60

A single photo shows the fitting style. Use the code for your table bore.

Yahanda application guidance and full ordering tables

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Yahanda Table & Fixture Order Codes

Click a stock code to open its R H Davey product listing.

Order Code	Item / Grade	Size / Configuration
YHD16ES1275	D16 ECO-2D + accessory kit	1200 × 750 × 850mm
YHD16S1208N	D16 3D	1200 × 800 × 100mm
YHD16S3015N	D16 3D	3000 × 1500 × 100mm
YHD28S1510N	D28 3D	1500 × 1000 × 200mm
YHD28S2010N	D28 3D	2000 × 1000 × 200mm
YHD28S2412N	D28 3D	2400 × 1200 × 200mm
YHD28S3015N	D28 3D	3000 × 1500 × 200mm
D16KIT2	Yahanda D16 accessory kit	81 pieces · Kit 2
D28KIT2	Yahanda D28 accessory kit	81 pieces · Kit 2
D16KIT3	Yahanda D16 accessory kit	111 pieces · Kit 3
D28KIT3	Yahanda D28 accessory kit	111 pieces · Kit 3
YHD16YSQ200	Yahanda 45° Inclinable Clamp · Type A	16mm system
YHD28YSQ300	Yahanda 45° Inclinable Clamp · Type A	28mm system
YHD16YSS200	Yahanda Telescopic Clamp · Type A	16mm system
YHD28YSS300	Yahanda Telescopic Clamp · Type A	28mm system
YHD16JY200S	Yahanda Vertical Toggle Clamp · Type A	16mm system
YHD28JY200S	Yahanda Vertical Toggle Clamp · Type A	28mm system
YHD16JC90	Yahanda Locating Angle · Type B	16mm system
YHD28JC175	Yahanda Locating Angle · Type B	28mm system
YHD16JC90HS	Yahanda Locating Angle · Type C	16mm system
YHD28JC175HS	Yahanda Locating Angle · Type C	28mm system
YHD16PC115	Yahanda Locating Bar · Type C	16mm system
YHD28PC225	Yahanda Locating Bar · Type C	28mm system
YHD16KS1624	Yahanda Quick Locking Bolt · Type A	16mm system
YHD28KS2850	Yahanda Quick Locking Bolt · Type A	28mm system
YHD16JD60	Yahanda Ground Connector	16mm system
YHD28JD60	Yahanda Ground Connector	28mm system

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

KEMPER Extraction Order Codes

Match the extraction method, supply and arm or duct configuration to the work.

Order Code	Item / Grade	Size / Configuration
64300	KEMPER SmartMaster	1 x 230 V / 50 Hz · 2m arm · Mobile Arm Extraction
60650104	KEMPER ProfiMaster · One Arm	3 x 400 V / 50 Hz · 3m arm · Mobile Arm Extraction
60650DA100	KEMPER ProfiMaster · Two Arms	3 x 400 V / 50 Hz · 2m arm · Mobile Arm Extraction
64650100	KEMPER SmartFil	3 x 400 V / 50 Hz · 2m arm · Mobile Arm Extraction
65653100	KEMPER MaxiFil	1 x 110 V - 50 Hz · 2m arm · Mobile Arm Extraction
65650AK102	KEMPER MaxiFil AK	3 x 400 V / 50 Hz · 4m arm · Mobile Arm Extraction
62100102	KEMPER FilterMaster XL	3 x 400 V / 50 Hz · 4m arm · Mobile Arm Extraction
67250105	KEMPER MaxiFil Clean	3 x 400 V / 50 Hz · 4m arm · Mobile Arm Extraction
65850107	KEMPER MaxiFil Stationary	3 x 400 V / 50 Hz · 3m arm · Stationary Extraction
83100106	KEMPER Cartridge Filter Unit · One Arm	3 x 400 V / 50 Hz · 2m arm · Stationary Extraction
83200106	KEMPER Cartridge Filter Unit · Two Arms	3 x 400 V / 50 Hz · 2m arm · Stationary Extraction
65750	KEMPER WallMaster	Stationary Extraction
6020204	KEMPER FilterCell XL	1 x 230 V / 50 Hz · Stationary Extraction
63202	KEMPER Dusty Evo	1 x 110 V / 50 - 60 Hz · High-Vacuum Extraction
82361	KEMPER VacuFil Compact	3 x 400 V / 50 Hz · High-Vacuum Extraction
82380	KEMPER VacuFil Compact Twin	3 x 400 V / 50 Hz · High-Vacuum Extraction
82755	KEMPER VacuFil 500	3 x 400 V / 50 Hz · High-Vacuum Extraction
82820	KEMPER VacuFil 2000	3 x 400 V / 50 Hz · High-Vacuum Extraction
82840	KEMPER VacuFil 4000	3 x 400 V / 50 Hz · High-Vacuum Extraction
3475	KEMPER WeldFil Compact	3 × 400V / 50Hz · Central Extraction
34270	KEMPER WeldFil	3 x 400 V / 50 Hz · Central Extraction
20531	KEMPER ArcFil	3 x 380 - 415 / 50 Hz · Central Extraction

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

KEMPER Extraction Order Codes

Match the extraction method, supply and arm or duct configuration to the work.

Order Code	Item / Grade	Size / Configuration
3565	KEMPER ArcFil Pro	3 x 400 V / 50 Hz · Central Extraction
22230	KEMPER PlasmaFil	3 x 380 - 415 / 50 Hz · Central Extraction
3250112	KEMPER PlasmaFil Pro	3 x 400 V / 50 Hz · Central Extraction
27760	KEMPER LaserFil	3 x 380 - 415 / 50 Hz · Central Extraction
3720	KEMPER LaserFil Pro	3 x 400 V / 50 Hz · Central Extraction
390650	KEMPER AirDome	3 x 400 V / 50 Hz · Hall Ventilation
390620	KEMPER CleanAirTower	3 x 400 V / 50 Hz · Hall Ventilation
390450	KEMPER CleanAirTower SF 9000	3 × 400V / 50Hz · Hall Ventilation
998800407	KEMPER KemJet	3 x 400 V / 50 Hz · Hall Ventilation
95520501	KEMPER FilterTable Clean	3 x 400 V / 50 Hz · Integrated Extraction Tables
950400006	KEMPER FilterTable	1 × 230V / 50Hz · Integrated Extraction Tables
950400020	KEMPER FilterTable GWT	3 x 400 V / 50 Hz · Integrated Extraction Tables

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER / WORKSHOP EQUIPMENT

Filters, Spares & Accessories

Match the installed version before ordering. For filters, send the machine serial plate and existing filter label. For hoses and electrical parts, include connection size or supply voltage.

Order Code	Part / Configuration	Compatible Model Family
1013093	Silencer	FilterTable Clean
1060071	Torch adaptor, 42-44mm	VacuFil Compact / VacuFil Compact Twin
1060084	Torch adaptor, 30-38mm	VacuFil Compact / VacuFil Compact Twin
1060104	Torch adaptor, 39-42mm	VacuFil Compact / VacuFil Compact Twin
1061188	NW45/NW63 extraction-hose connector	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
1061331	PVC surface-protection strips for 95520501	FilterTable Clean
1090010	Main replacement filter	FilterTable / FilterTable GWT
1090013	Aluminium-mesh pre-filter	ProfiMaster / FilterTable / FilterTable GWT
1090033	Pre-filter mats, pack of 10	ProfiMaster
1090320	1.0kg pre-coating agent; for PE-M cartridges	ArcFil / PlasmaFil / LaserFil
1090345	Activated-carbon filter	FilterTable / FilterTable GWT
1090432	PTFE main filter cartridge	Dusty Evo
1090434	4m² filter cartridge; two required per unit	Cartridge Filter Unit
1090438	Replacement filter for FilterMaster XL	FilterMaster XL / FilterCell XL
1090440	10m² ePTFE cartridge including sealing ring	VacuFil 500 / VacuFil 2000 / VacuFil 4000 / KemJet
1090447	20m² ePTFE cartridge including sealing ring	WeldFil Compact / WeldFil / ArcFil Pro / PlasmaFil Pro / LaserFil Pro / CleanAirTower
1090452	Pre-filter mats, pack of 10	SmartMaster
1090453	Pre-filter cassette	SmartMaster
1090454	Main filter	SmartMaster
1090457	Main filter	ProfiMaster

Mobile and high-vacuum filter quick reference

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER / WORKSHOP EQUIPMENT

Filters, Spares & Accessories

Match the installed version before ordering. For filters, send the machine serial plate and existing filter label. For hoses and electrical parts, include connection size or supply voltage.

Order Code	Part / Configuration	Compatible Model Family
1090469	Main filter cartridge	MaxiFil Clean
1090472	Motor-cooling pre-filter mats, pack of 10	MaxiFil / MaxiFil AK / VacuFil Compact / VacuFil Compact Twin
1090504	34m² particle filter for AK configuration	MaxiFil AK
1090505	Activated-carbon filter for AK configuration	MaxiFil AK
1090515	34m² filter and activated-carbon set	MaxiFil AK
1090517	42m² filter element, standard MaxiFil	SmartFil / MaxiFil / MaxiFil Stationary / WallMaster
1090549	Aluminium pre-filter	CleanAirTower SF 9000
1090553	Dust-container safety filter; if fitted	WeldFil / ArcFil Pro / PlasmaFil Pro / LaserFil Pro / KemJet
1090675	25m² standard filter element	SmartFil
1090676	Disposable main filter; for disposable-filter configuration	VacuFil Compact / VacuFil Compact Twin
1090679	Blower cooling-air filter mats, pack of 10	VacuFil 2000 / VacuFil 4000
1090699	Cleanable main filter; for cleaning-filter configuration	VacuFil Compact / VacuFil Compact Twin
1090728	15m² ePTFE cartridge, short design	ArcFil / PlasmaFil / LaserFil
1090729	30m² main filter element; six required per unit	ArcFil / PlasmaFil / LaserFil / AirDome
1090730	15m² PE-M cartridge, short design	ArcFil / PlasmaFil / LaserFil
1090731	30m² PE-M cartridge, long design	ArcFil / PlasmaFil / LaserFil
1090732	Aluminium-mesh pre-filter insert	MaxiFil Clean
1090758	Aluminium pre-filter	SmartMaster
1090778	Replacement H13 filter; for fitted H13 stage	FilterTable Clean
1090786	Standard filter cartridge for 95520501	FilterTable Clean

Mobile and high-vacuum filter quick reference

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER / WORKSHOP EQUIPMENT

Filters, Spares & Accessories

Match the installed version before ordering. For filters, send the machine serial plate and existing filter label. For hoses and electrical parts, include connection size or supply voltage.

Order Code	Part / Configuration	Compatible Model Family
1131108	NW315 cooling-air connection piece	VacuFil 2000 / VacuFil 4000
1140348	2m extraction-arm hose, Ø150mm	MaxiFil Stationary / Cartridge Filter Unit
1140349	3m extraction-arm hose, Ø150mm	MaxiFil Stationary / Cartridge Filter Unit
1140350	4m extraction-arm hose, Ø150mm	MaxiFil Stationary / Cartridge Filter Unit
1140712	2.5m extraction/pressure hose, Ø250mm; exhaust air	WallMaster
1140864	5m extraction hose, Ø63mm	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
1140865	7.5m extraction hose, Ø63mm	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
1140866	10m extraction hose, Ø63mm	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
1170739	Fan belt kit for 95520501	FilterTable Clean
1180838	Volume flow control for VacuFil Compact	VacuFil Compact / VacuFil Compact Twin
1190139	Disposal bags, pack of 10	VacuFil 2000 / VacuFil 4000 / WeldFil / ArcFil / ArcFil Pro / PlasmaFil / PlasmaFil Pro / LaserFil / LaserFil Pro
1190335	Disposal buckets, set of 4; for 998800407	WeldFil Compact / AirDome / KemJet
1190746	Filter disposal bags, pack of 10	SmartMaster / ProfiMaster
1190893	Dust collection bucket disposal bags, pack of 10	VacuFil 500
1191142	Dust collection containers, set of 5	MaxiFil Clean
1272520	Protective mesh	SmartMaster / ProfiMaster / SmartFil / MaxiFil / MaxiFil AK / FilterMaster XL / MaxiFil Clean / Cartridge Filter Unit
1272550	Vice mount	FilterTable Clean
1317476	H13 Filter for VacuFil Compact	VacuFil Compact

Mobile and high-vacuum filter quick reference

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER / WORKSHOP EQUIPMENT

Filters, Spares & Accessories

Match the installed version before ordering. For filters, send the machine serial plate and existing filter label. For hoses and electrical parts, include connection size or supply voltage.

Order Code	Part / Configuration	Compatible Model Family
1317477	Push handle	Dusty Evo
1318087	H13 Filter for VacuFil Compact Twin	VacuFil Compact Twin
1350260	NW200 exhaust-air hose connection	ProfiMaster
1350261	NW200 exhaust-air hose connection	MaxiFil / MaxiFil AK
1350263	NW200 exhaust-air hose connection	SmartFil
1350453	NW250 exhaust set	MaxiFil Clean
1350474	Dust collection drum	WeldFil Compact / WeldFil / ArcFil / ArcFil Pro / PlasmaFil / PlasmaFil Pro / LaserFil / LaserFil Pro
1400266	Filter and housing sealing kit	Dusty Evo
1416919	Check valve	WallMaster
1441526	Wheel set	FilterTable Clean
1490185	Disposal containers with gloves, ties and bags	FilterMaster XL
1490399	Disposal bag for dust collection bucket, single	VacuFil 500
1490717	Dust collection bin (set of 3)	CleanAirTower
1490775	6L disposable dust container for Twin	VacuFil Compact Twin
1490776	Tool tray with cup holder for VacuFil Compact	VacuFil Compact / VacuFil Compact Twin
1490778	Bow handle	VacuFil Compact / VacuFil Compact Twin
1490779	6L disposable dust container	VacuFil Compact
1490781	Disposable dust container	Dusty Evo
1490783	Tool tray with cup holder for Dusty Evo	Dusty Evo
1560024	Control filter mats, pack of 5; if regulation fitted	WeldFil Compact / WeldFil / ArcFil / ArcFil Pro / PlasmaFil / PlasmaFil Pro / LaserFil / LaserFil Pro

Mobile and high-vacuum filter quick reference

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER / WORKSHOP EQUIPMENT

Filters, Spares & Accessories

Match the installed version before ordering. For filters, send the machine serial plate and existing filter label. For hoses and electrical parts, include connection size or supply voltage.

Order Code	Part / Configuration	Compatible Model Family
1560026	Extraction-control filter mats, pack of 5	VacuFil 2000 / VacuFil 4000
1610086	Grease cartridge; for fans with grease nipple	WeldFil Compact / WeldFil / ArcFil Pro / PlasmaFil Pro / LaserFil Pro / KemJet
1990010	Housing clamp closures, set of 4	Dusty Evo
1990031	230V turbine with seal and screws	Dusty Evo
1990034	110V turbine with seal and screws	Dusty Evo
1990050	Clean-air outlet pre-filter mat set	AirDome
2320006	Funnel nozzle, round	VacuFil Compact / VacuFil Compact Twin
2320008	Slit nozzle 300mm	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
2320009	Slit nozzle 600mm	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
2320010	Funnel nozzle	Dusty Evo / VacuFil Compact / VacuFil Compact Twin
3605170	Mobile wireless antenna	CleanAirTower SF 9000
3605282	KEMPER Connect Bridge	MaxiFil Clean / VacuFil Compact / VacuFil Compact Twin / ArcFil / PlasmaFil / LaserFil / AirDome
3606276	KEMPER Connect IoT Kit	VacuFil 2000 / VacuFil 4000 / WeldFil Compact / WeldFil / ArcFil Pro / PlasmaFil Pro / LaserFil Pro / KemJet
39045001	100m² main filter element for 390450	CleanAirTower SF 9000
6320005	Wheel set	Dusty Evo
6430007	Wheel set	SmartMaster / ProfiMaster / SmartFil / MaxiFil / MaxiFil AK
6430008	3m hose kit with magnetic funnel nozzle	SmartMaster

Mobile and high-vacuum filter quick reference

© R H Davey Welding Supplies Ltd · Design and editorial content

KEMPER / WORKSHOP EQUIPMENT

Filters, Spares & Accessories

Match the installed version before ordering. For filters, send the machine serial plate and existing filter label. For hoses and electrical parts, include connection size or supply voltage.

Order Code	Part / Configuration	Compatible Model Family
6430009	6m hose kit with magnetic funnel nozzle	SmartMaster
6430012	Wheel set	VacuFil Compact / VacuFil Compact Twin
6430015	Wheel set	MaxiFil Clean
64650813	H13 Filter for SmartFil	SmartFil
67250813	H13 Filter for MaxiFil Clean	MaxiFil Clean
7910300	Extraction hood	MaxiFil Stationary / Cartridge Filter Unit
79103040	Extraction hood with LED lamps and switches	MaxiFil Stationary / Cartridge Filter Unit
79105	The Hood Pro	SmartFil / MaxiFil / MaxiFil AK / MaxiFil Clean / Cartridge Filter Unit
93070004	High vacuum extraction hose - 2.5m	Dusty Evo / VacuFil Compact / VacuFil Compact Twin / VacuFil 500
93070005	High vacuum extraction hose - 5 m	Dusty Evo / VacuFil Compact / VacuFil Compact Twin / VacuFil 500
93070006	High vacuum extraction hose - 10 m	Dusty Evo / VacuFil Compact / VacuFil Compact Twin / VacuFil 500
94102702	Automatic start-stop; match installed connection	MaxiFil / MaxiFil AK / MaxiFil Clean / MaxiFil Stationary / Dusty Evo / VacuFil Compact / VacuFil Compact Twin
94102704	Automatic Start-Stop	VacuFil 500
94102772	Automatic start-stop set, per extraction arm	Cartridge Filter Unit
94102781	Automatic start-stop	ProfiMaster / SmartFil
94102782	Automatic start-stop for ProfiMaster	ProfiMaster
998-803719	Protective screen set	FilterTable GWT
On request	SparkTrap spark pre-separator	WeldFil Compact / WeldFil / ArcFil / ArcFil Pro / PlasmaFil / PlasmaFil Pro / LaserFil / LaserFil Pro

Mobile and high-vacuum filter quick reference

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Perfect Pairs 01 · Metabo WEA & Tyrolit Rondeller

Pair the Metabo Auto-Balancer with a 125mm Rondeller suited to the workpiece for weld dressing, deburring and blending.

Order Code	Item / Grade	Size / Configuration
600534390	Metabo WEA 17-125 Quick	110V site supply
600534000	Metabo WEA 17-125 Quick	230–240V mains
57005	Steel / stainless · A24	125 × 22.23mm · Coarse weld dressing
908227	Steel / stainless · A36	125 × 22.23mm · General weld dressing and deburring
908229	Steel / stainless · A60	125 × 22.23mm · Finer blending and finishing
34300412	Non-ferrous · A36	125 × 22.23mm · Aluminium, copper, brass and bronze

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

FIAC Air Compressors

Select by tool demand, supply and delivered airflow. The full guide covers piston and rotary screw models, dryer options and engine-driven variants.

Order Code	Item / Grade	Size / Configuration
1166217000	Cosmos 255 (GM50-148)	2hp · 50L · 230V · 8 bar
1129100589	VX50/360 Twin	3hp · 50L · 230V · 10 bar
1129102971	Magnum GM148	2hp · 10L · 110V · 8 bar
1129102970	Magnum GM148	2hp · 10L · 230V · 8 bar
4116000658	Leonardo XSS 138 · Oil-free	1hp · 6L · 230V · 8 bar
F3000	F3000 · Oil-free, accessory kit	1.5hp · 6L · 230V · 8 bar
4116000715	ECU XSS 228 · Oil-free	1.5hp · 6L · 230V · 8 bar
4116000698	XSS 228/24 · Oil-free	1.5hp · 24L · 230V · 8 bar
OF100/5/110	Workhorse Whisper · Oil-free	1hp · 5L · 110V · 10 bar
OF100/5/230	Workhorse Whisper · Oil-free	1hp · 5L · 230V · 10 bar
OF120/24	Workhorse Whisper · Oil-free	1hp · 24L · 230V · 8 bar
OF240/50	Workhorse Whisper · Oil-free	2hp · 50L · 230V · 8 bar
1680901000	SCS 415/200 · Acoustic cabinet	3hp · 200L · 230V · 10 bar · 10.5 CFM FAD
1693662000	SCS 598/300 · Acoustic cabinet	5.5hp · 270L · 400V · 10 bar · 18.5 CFM FAD
1692932000	SCS 958/300 · Acoustic cabinet	7.5hp · 270L · 400V · 10 bar · 23 CFM FAD
WR2HP-50P-110V/CB	Workhorse · Crash bar	2hp · 50L · 110V
WR2HP-50P-1/CB	Workhorse · Crash bar	2hp · 50L · 230V
WR3HP-50P-110V/CB	Workhorse · Crash bar	3hp · 50L · 110V
WR3HP-50P-1/CB	Workhorse · Crash bar	3hp · 50L · 230V
WR3HP-50P-1	Workhorse · Portable	3hp · 50L · 230V · 10 bar · 9 CFM FAD
WR3HP-100P-1	Workhorse · Portable	3hp · 100L · 230V · 10 bar · 9 CFM FAD
WR3HP-150S-1	Workhorse · Static	3hp · 150L · 230V · 10 bar · 9 CFM FAD
WR3HPXX-150S-1	Workhorse HD · Static	3hp · 150L · 230V · 10 bar · 10.7 CFM FAD
WR3HPXX-150S-3	Workhorse HD · Static	3hp · 150L · 400V · 10 bar · 10.7 CFM FAD
WR3HP-200S-1	Workhorse · Static	3hp · 200L · 230V · 10 bar · 9 CFM FAD
WR3HPXX-200S-1	Workhorse HD · Static	3hp · 200L · 230V · 10 bar · 10.7 CFM FAD
WR3HPXX-200S-3	Workhorse HD · Static	3hp · 200L · 400V · 10 bar · 10.7 CFM FAD
WR4HP-200S-1	Workhorse · Static	4hp · 200L · 230V · 13.2 CFM FAD

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

FIAC Air Compressors

Select by tool demand, supply and delivered airflow. The full guide covers piston and rotary screw models, dryer options and engine-driven variants.

Order Code	Item / Grade	Size / Configuration
WRT28-250S-1	Workhorse Tandem	2 × 3hp · 250L · 230V · 10 bar · 18 CFM FAD
WRT30-250S-1	Workhorse Tandem	2 × 3hp · 250L · 230V · 10 bar · 21.4 CFM FAD
WRT36-250S-1	Workhorse Tandem	2 × 4hp · 250L · 230V · 10 bar · 26.4 CFM FAD
WRN5.5HP-200S	Workhorse · Static	5.5hp · 200L · 400V · 10 bar · 17 CFM FAD
WRN5.5HPXX-200S	Workhorse HD · Static	5.5hp · 200L · 400V · 10 bar · 18.5 CFM FAD
WRN5.5HP-270S	Workhorse · Static	5.5hp · 270L · 400V · 10 bar · 17 CFM FAD
WRN5.5HPXX-270S	Workhorse HD · Static	5.5hp · 270L · 400V · 10 bar · 18.5 CFM FAD
WRN7.5HP-270S	Workhorse · Static	7.5hp · 270L · 400V · 10 bar · 23 CFM FAD
WRN10HP-270S	Workhorse · Static	10hp · 270L · 400V · 10 bar · 29.5 CFM FAD
AF5.5HP-200S	Air Force · Static	5.5hp · 200L · 400V · 10 bar
JAS3HP-100P	Jasic · Portable	3hp · 100L · 230V
JAS3HPXX-200S-3	Jasic HD · Static	3hp · 200L · 400V
1446324000	FIAC S1504	5hp · 4L · Petrol · 10 bar
P50-415CB	Fuel Star · Crash bar	5.5hp · 50L · Petrol · 10 bar · 11 CFM FAD
P150-415S	Fuel Star · Static	5.5hp · 150L · Petrol · 10 bar · 11 CFM FAD
P150-598S	Fuel Star · Static	9hp · 150L · Petrol · 10 bar · 16 CFM FAD
P150-858S	Fuel Star · Static	11hp · 150L · Petrol · 10 bar · 23 CFM FAD
P150-858S/ES	Fuel Star · Electric start	11hp · 150L · Petrol
WRP5.5HP-50P/CB	Workhorse · Portable crash bar	5.5hp · 50L · Petrol · 10 bar · 11.2 CFM FAD
WRP5.5HP-50P	Workhorse · Portable	5.5hp · 50L · Petrol · 10 bar · 11.2 CFM FAD
WRP5.5HP-50S	Workhorse · Static	5.5hp · 50L · Petrol · 10 bar · 11.2 CFM FAD
WRP5.5HP-150S	Workhorse · Static	5.5hp · 150L · Petrol · 10 bar · 11.2 CFM FAD
WRP9HP-150S	Workhorse · Static	9hp · 150L · Petrol · 10 bar · 16.5 CFM FAD
WRP9HPXX-150S	Workhorse HD · Static	9hp · 150L · Petrol · 10 bar · 19.9 CFM FAD
WRP9HP-150S/ES	Workhorse · Electric start	9hp · 150L · Petrol
WRP9HPXX-150S/ES	Workhorse HD · Electric start	9hp · 150L · Petrol
WRP11HP-150S	Workhorse · Static	11hp · 150L · Petrol · 10 bar · 23 CFM FAD
WRP11HP-150S/ES	Workhorse · Electric start	11hp · 150L · Petrol · 10 bar · 23 CFM FAD

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

FIAC Air Compressors

Select by tool demand, supply and delivered airflow. The full guide covers piston and rotary screw models, dryer options and engine-driven variants.

Order Code	Item / Grade	Size / Configuration
WRDI10HP-150S/ES	Workhorse · Electric start	10hp · 150L · Diesel
4116000757	Light Silver LS 6 200	6hp · 200L · 400V · 10 bar · 17.6 CFM FAD
4116000843	Light Silver LS 8 200	8hp · 200L · 400V · 10 bar · 25.7 CFM FAD
4116000548	Light Silver LS 6 200D · Dryer	6hp · 200L · 400V · 10 bar · 17.6 CFM FAD · Confirm availability
4116000844	Light Silver LS 8 200D · Dryer	8hp · 200L · 400V · 10 bar · 25.7 CFM FAD · Confirm availability
4152044001	New Silver NS D 3 200 W	3hp · 200L · 230V · 10 bar · 8.7 CFM FAD
4152040061	New Silver NS 10 270	10hp · 270L · 400V · 10 bar · 34.1 CFM FAD
4152040524	New Silver NS 15 270	15hp · 270L · 400V · 10 bar · 49.8 CFM FAD
4152040530	New Silver NS 20 270	20hp · 270L · 400V · 10 bar · 59.3 CFM FAD
4152044225	New Silver NS 10 270D · Dryer	10hp · 270L · 400V · 10 bar · 34.1 CFM FAD
4152044365	New Silver NS 15 270D · Dryer	15hp · 270L · 400V · 10 bar · 49.8 CFM FAD
4152044371	New Silver NS 20 270D · Dryer	20hp · 270L · 400V · 10 bar · 59.3 CFM FAD
WRSC10D/300	Workhorse Screw · Dryer	10hp · 300L · 400V · 10 bar
WRSC15D/300	Workhorse Screw · Dryer	15hp · 300L · 400V · 10 bar
WRSC20D/300	Workhorse Screw · Dryer	20hp · 300L · 400V · 10 bar
4152045041	New Silver NS SD 10 10 270D	10hp · 270L · 400V · 10 bar · 15–34.1 CFM FAD
4152045084	New Silver NS SD 15 10 270D	15hp · 270L · 400V · 10 bar · 12.9–49.5 CFM FAD
4152045086	New Silver NS SD 20 10 270D	20hp · 270L · 400V · 10 bar · 16.5–59.2 CFM FAD
1839029835	X900 10 200 · Inverter	10hp · 200L · 400V · 10 bar · 29.9 CFM FAD
1839029836	X900D 10 200 · Inverter + dryer	10hp · 200L · 400V · 10 bar · 29.9 CFM FAD
4152026073	Airblok 103 BD	10hp · No receiver · 400V · 10 bar · 38.1 CFM FAD
4152026072	Airblok 103 BD · 8 bar	10hp · No receiver · 400V · 8 bar · 43.8 CFM FAD · Confirm availability
4152026074	Airblok 103 BD · 13 bar	10hp · No receiver · 400V · 13 bar · 29.3 CFM FAD · Confirm availability

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

FIAC Air Compressors

Select by tool demand, supply and delivered airflow. The full guide covers piston and rotary screw models, dryer options and engine-driven variants.

Order Code	Item / Grade	Size / Configuration
4152026233	Airblok 203 BD	20hp · No receiver · 400V · 10 bar · 74.5 CFM FAD
4152026236	Airblok 253 BD	25hp · No receiver · 400V · 10 bar · 96.1 CFM FAD
4152026239	Airblok 303 BD	30hp · No receiver · 400V · 10 bar · 114.4 CFM FAD
4152026395	Airblok 403 BD	40hp · No receiver · 400V · 10 bar · 137.7 CFM FAD

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Metabo WEA Auto-Balancer

For repeated weld dressing and edge preparation, the integrated balancer counteracts disc imbalance. Metabo declares 4.0m/s² for surface grinding and 3.0m/s² for sanding.

Order Code	Item / Grade	Size / Configuration
600534390	WEA 17-125 Quick	110V site supply · 125mm · 1,700W · 11,000rpm
600534000	WEA 17-125 Quick	230–240V mains · 125mm · 1,700W · 11,000rpm

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Weldgas Fitted Gas Hoses

Match the gas, bore, length and hose check valve to your setup.

Order Code	Item / Grade	Size / Configuration
GAS4000	Oxygen fitted hose	6mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4001	Oxygen fitted hose	6mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4002	Oxygen fitted hose	6mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4003	Oxygen fitted hose	6mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4068	Oxygen fitted hose	6mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4004	Acetylene fitted hose	6mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4005	Acetylene fitted hose	6mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4006	Acetylene fitted hose	6mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4007	Acetylene fitted hose	6mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4064	Acetylene fitted hose	6mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4008	Propane fitted hose	6mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4009	Propane fitted hose	6mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4010	Propane fitted hose	6mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4011	Propane fitted hose	6mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4069	Propane fitted hose	6mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 1/4″ BSP HCV
GAS4012	Oxygen fitted hose	6mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4013	Oxygen fitted hose	6mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4014	Oxygen fitted hose	6mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Weldgas Fitted Gas Hoses

Match the gas, bore, length and hose check valve to your setup.

Order Code	Item / Grade	Size / Configuration
GAS4015	Oxygen fitted hose	6mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4016	Oxygen fitted hose	6mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4017	Acetylene fitted hose	6mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4018	Acetylene fitted hose	6mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4019	Acetylene fitted hose	6mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4020	Acetylene fitted hose	6mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4021	Acetylene fitted hose	6mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4022	Propane fitted hose	6mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4023	Propane fitted hose	6mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4024	Propane fitted hose	6mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4025	Propane fitted hose	6mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4026	Propane fitted hose	6mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4027	Oxygen fitted hose	8mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4028	Oxygen fitted hose	8mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4029	Oxygen fitted hose	8mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4030	Oxygen fitted hose	8mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4031	Oxygen fitted hose	8mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4032	Acetylene fitted hose	8mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Weldgas Fitted Gas Hoses

Match the gas, bore, length and hose check valve to your setup.

Order Code	Item / Grade	Size / Configuration
GAS4033	Acetylene fitted hose	8mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4034	Acetylene fitted hose	8mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4035	Acetylene fitted hose	8mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4036	Acetylene fitted hose	8mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS5300	Propane fitted hose	8mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS5301	Propane fitted hose	8mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS5302	Propane fitted hose	8mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS5303	Propane fitted hose	8mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS5304	Propane fitted hose	8mm bore · 30m · Supply: 3/8″ BSP nut · Torch: Check at order
GAS4037	Oxygen fitted hose	10mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4038	Oxygen fitted hose	10mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4039	Oxygen fitted hose	10mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4040	Oxygen fitted hose	10mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4041	Oxygen fitted hose	10mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4070	Oxygen fitted hose	10mm bore · 50m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4042	Acetylene fitted hose	10mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4043	Acetylene fitted hose	10mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4044	Acetylene fitted hose	10mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Weldgas Fitted Gas Hoses

Match the gas, bore, length and hose check valve to your setup.

Order Code	Item / Grade	Size / Configuration
GAS4045	Acetylene fitted hose	10mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4046	Acetylene fitted hose	10mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4071	Acetylene fitted hose	10mm bore · 50m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4047	Propane fitted hose	10mm bore · 5m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4048	Propane fitted hose	10mm bore · 10m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4049	Propane fitted hose	10mm bore · 15m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4050	Propane fitted hose	10mm bore · 20m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4051	Propane fitted hose	10mm bore · 30m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS4072	Propane fitted hose	10mm bore · 50m · Supply: 3/8″ BSP nut · Torch: 3/8″ BSP HCV
GAS5351	Oxygen / Acetylene fitted twin hose	6mm bore · 5m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS5352	Oxygen / Acetylene fitted twin hose	6mm bore · 10m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS5353	Oxygen / Acetylene fitted twin hose	6mm bore · 15m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS5354	Oxygen / Acetylene fitted twin hose	6mm bore · 20m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS5355	Oxygen / Acetylene fitted twin hose	6mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5356	Oxygen / Acetylene fitted twin hose	6mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5357	Oxygen / Acetylene fitted twin hose	6mm bore · 15m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5358	Oxygen / Acetylene fitted twin hose	6mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS6001	Oxygen / Propane fitted twin hose	6mm bore · 5m · Supply: Check at order · Torch: 1/4″ BSP HCV

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Weldgas Fitted Gas Hoses

Match the gas, bore, length and hose check valve to your setup.

Order Code	Item / Grade	Size / Configuration
GAS6002	Oxygen / Propane fitted twin hose	6mm bore · 10m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS6003	Oxygen / Propane fitted twin hose	6mm bore · 15m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS6004	Oxygen / Propane fitted twin hose	6mm bore · 20m · Supply: Check at order · Torch: 1/4″ BSP HCV
GAS6005	Oxygen / Propane fitted twin hose	6mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS6006	Oxygen / Propane fitted twin hose	6mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS6007	Oxygen / Propane fitted twin hose	6mm bore · 15m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS6008	Oxygen / Propane fitted twin hose	6mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3079	Oxygen / Acetylene fitted twin hose	10mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3080	Oxygen / Acetylene fitted twin hose	10mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3081	Oxygen / Acetylene fitted twin hose	10mm bore · 15m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3082	Oxygen / Acetylene fitted twin hose	10mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3083	Oxygen / Acetylene fitted twin hose	10mm bore · 30m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3084	Oxygen / Acetylene fitted twin hose	10mm bore · 50m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3065	Oxygen / Propane fitted twin hose	10mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3066	Oxygen / Propane fitted twin hose	10mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3067	Oxygen / Propane fitted twin hose	10mm bore · 15m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3068	Oxygen / Propane fitted twin hose	10mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS3069	Oxygen / Propane fitted twin hose	10mm bore · 30m · Supply: Check at order · Torch: 3/8″ BSP HCV

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

ORDERING REFERENCES

Weldgas Fitted Gas Hoses

Match the gas, bore, length and hose check valve to your setup.

Order Code	Item / Grade	Size / Configuration
GAS3070	Oxygen / Propane fitted twin hose	10mm bore · 50m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5667	Oxygen heavy-duty fitted hose	10mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5668	Oxygen heavy-duty fitted hose	10mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5669	Oxygen heavy-duty fitted hose	10mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5670	Acetylene heavy-duty fitted hose	10mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5671	Acetylene heavy-duty fitted hose	10mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5672	Acetylene heavy-duty fitted hose	10mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5673	Propane heavy-duty fitted hose	10mm bore · 5m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5674	Propane heavy-duty fitted hose	10mm bore · 10m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS5675	Propane heavy-duty fitted hose	10mm bore · 20m · Supply: Check at order · Torch: 3/8″ BSP HCV
GAS6022	Oxygen thermic-lance hose	10mm bore · 20m · Supply: 3/8″ nut · Torch: 3/8″ nut

Range guide and full technical details

© R H Davey Welding Supplies Ltd · Design and editorial content

WELDING ACCESSORIES

ABICOR BINZEL Anti-Spatter

NF spray: torch and workpiece. ABIBLUE NF: large steel surfaces. Ceramic: high-current nozzle protection. Düsofix: dip-applied nozzle paste.







Stock Code	Product / Applicator	Size / Format	Pack
192.0315.1	Super Pistolenspray NF	400ml aerosol	12
192.0071	Super Pistolenspray	400ml aerosol · EN label	12
192.0107	Super Pistolenspray	400ml aerosol · EN label variant	12
192.0214.1	Super Pistolenspray	400ml aerosol · EN label variant	12
192.0409.1	Super Coating Cap	For Super Pistolenspray	1
192.0238.1	ABIBLUE NF	5L canister	1
192.0239.1	ABIBLUE NF	10L canister	1
192.0240.1	ABIBLUE NF	20L canister	1
192.0241.1	ABIBLUE NF	200L barrel	1
192.0228.1	Ceramic Spray	400ml aerosol · EN label	12
192.0229.1	Ceramic Spray	400ml aerosol · EN label variant	12
192.0242.1	Ceramic Spray	400ml aerosol · EN label variant	12
192.0256.1	Ceramic Coating Cap	For Ceramic Spray	10
192.0058	Düsofix	300g tin	12
192.0163	Metal Spray Bottle	520ml · complete · empty	12
192.0164	Hand Spray Pump	Replacement insert for metal bottle	1
192.0254.15	Plastic Spray Bottle	500ml · complete · empty	15
192.0399.2	Outlet Tap RD 45	For 5L / 10L ABIBLUE NF canisters	2
192.0400.2	Outlet Tap RD 61	For 20L ABIBLUE NF canister	2
192.0109	Barrel Tap	For 200L barrel	1

Full Product Selection And Ordering Guide

© R H Davey Welding Supplies Ltd · Design and editorial content

Orders & Enquiries

Quote the part number and the configuration shown. If a reference is shared, include the grade, size and pack or the machine and torch model so we can match it to the right item.

What to Send With Your Enquiry

The order code and quantity.
The size, variant and pack or equipment configuration.
The application, material and any required approval or certificate.

023 8033 9443

sales@rhdaveywelding.co.uk

67–69 Quayside Road, Southampton SO18 1AE

R H Davey ordering site

© R H Davey Welding Supplies Ltd · Design and editorial content