STEALTH

WELDING MACHINES

Stealth and Cobra by Stealth power sources









Choose Your Setup

Application	Range or option	Page
MIG & Multiprocess	12 product groups	2
TIG Welding	5 product groups	4
MMA Welding	3 product groups	5
Plasma Cutting	5 product groups	6
Packages & Accessories	13 product groups	7
Fume Extraction	3 product groups	10

Ordering & Technical Support

Quote the model or part number and the size or configuration needed for your job.

67–69 Quayside Road, Southampton SO18 1AE

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

MIG & Multiprocess

Compare compact machines with separate-feeder and water-cooled packages. Specify the mains supply, wire material and the output needed over a full shift.

Cobra · 200-1 2R Compact MIG Welding Machine



Compact MIG for general fabrication.
230V single-phase
200A at 20%
41.8kg

9134H

Technical manual

Cobra · MIG DP 5006 Air Cooled Welding Machine



Double-pulse MIG with an air-cooled package.
400V three-phase
500A at 60% / 410A at 100%
30.5kg power source

9114H-AC

Technical manual

Cobra · 300-1 4R Compact MIG Welding Machine



Workshop MIG where a four-roll feed is preferred.
230V single-phase
300A at 40%
43.5kg

9135H

Technical manual

Cobra · 300-1 4R + SWF MIG Welding Machine



Separate feeder for access around larger fabrications.
230V single-phase
300A at 40%
43.5kg power source

9136H

Technical manual

Cobra · 201 Pro LCD 4-In-1 Multi-process Welding Machine



A portable multiprocess machine for mixed fabrication and repair.
110V / 230V single-phase
20kg

9115H

Technical manual

Cobra · 315 Water Cooled MIG Welding Machine



Three-phase MIG with water cooling for longer runs.
400V three-phase
315A at 40%
55.7kg

9105H

Technical manual

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

MIG & Multiprocess (cont.)

Compare compact machines with separate-feeder and water-cooled packages. Specify the mains supply, wire material and the output needed over a full shift.

Cobra · 315 Toolkit Air Cooled MIG Welding Machine



Three-phase MIG with air cooling.

400V three-phase

315A at 40%

51.1kg

9104H

Technical manual

Cobra · 400 LCD 3-In-1 Multi-process Air Cooled Welding Machine



Multiprocess work with an air-cooled package.

400V three-phase

400A at 60% / 310A at 100%

29.4kg power source

9196H-AC

Technical manual

Cobra · MIG DP 5006 Water Cooled Welding Machine



Double-pulse MIG for sustained work with a water-cooled torch.

400V three-phase

500A at 60% / 410A at 100%

30.5kg power source

9114H-WC

Technical manual

Cobra · 400 LCD 3-In-1 Multi-process Water Cooled Welding Machine



Higher-duty multiprocess work with a water-cooled package.

400V three-phase

400A at 60% / 310A at 100%

29.4kg power source

9196H-WC

Technical manual

Stealth · MIG 200 LCD PFC Multiprocess 110V/230V MIG Welding Machine



9005H

Technical manual

Stealth · MIG 250-1 230V Single Phase MIG Welding Machine



Workshop MIG on a single-phase supply.

230V single-phase

250A at 60% / 200A at 100%

23kg

9006H

Technical manual

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

TIG Welding

Choose DC TIG for steel or stainless. For conventional TIG welding on aluminium, select a suitable AC/DC set and match the torch cooling to the workload.

Cobra · 250-3 LCD TIG Welding Machine



Three-phase TIG for workshop fabrication.

400V three-phase

250A at 60% / 195A at 100%

13.6kg

9113H

Technical manual

Cobra · 321 LCD AC/DC TIG Air Cooled Welding Machine



AC/DC TIG with an air-cooled package.

400V three-phase

320A at 60% / 250A at 100%

31.1kg power source

9112H-AC

Technical manual

Cobra · 321 LCD AC/DC TIG Water Cooled Welding Machine



AC/DC TIG with water cooling for sustained work.

400V three-phase

320A at 60% / 250A at 100%

31.1kg power source

9112H-WC

Technical manual

Cobra · 200P LCD PFC MV TIG Welding Machine



DC TIG for steel and stainless.

110V / 230V single-phase

TIG 200A at 60% on 230V

11.5kg

9110H

Technical manual

Cobra · 201P AC/DC LCD MV TIG Welding Machine



AC/DC TIG for aluminium and ferrous work.

110V / 230V single-phase

200A TIG at 60% on 230V

13.2kg

9111H

Technical manual

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

MMA Welding

Match the supply and electrode size to the job. A battery set can reach work away from a mains outlet.

Cobra · Arc 180 Battery Arc Welding Machine with Battery Charger



Short-duration stick repairs away from mains power.

Battery

180A at 10%

11.57kg per manual

9027H

Product specifications

Stealth · Digi-Arc 205 LT 240v Arc Welding Machine



9023H

Technical datasheet

Stealth · Digi-Arc 175 LT 240v Machine



9021H

Technical manual

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

Plasma Cutting

Select by recommended cut thickness, compressed-air provision and whether the torch will be used by hand or on a CNC table.

Cobra · Cut 45 PFC LCD Plasma Cutting Machine



Portable cutting on a dual-voltage setup.

110V / 230V single-phase

30A at 35% on 110V / 45A at 40% on 230V

8.5kg

9130H

Technical manual

Cobra · Cut 40 Plasma Cutting Machine with Compressor



Hand cutting where an onboard compressor is useful.

40A at 40%

14.5kg

9129H

Technical manual

Cobra · Cut 60-1 CNC Plasma Cutting Machine



Single-phase CNC-capable cutting.

230V single-phase

60A at 100%

14.8kg

9131H

Technical manual

Cobra · Cut 125 CNC Plasma Cutting Machine



High-output CNC-capable cutting.

400V three-phase

125A at 90%

33.2kg

9132H

Technical manual

Cobra · Cut 65 CNC Plasma Cutting Machine



Three-phase CNC-capable cutting for longer runs.

400V three-phase

65A at 100%

19kg

9133H

Technical manual

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

Packages & Accessories

Quote the power-source model and connector when ordering a remote, cooling unit, lead or torch package.

Cobra · The Commander Wireless TIG Remote



9833H

Product specifications

Stealth · 415V Water Cooler



415V

9819H

Product specifications

Stealth · 4 Litre Cooling Unit for Digi-MIG 250-3



9817H

Product specifications

Stealth · Digi-Cut 100 CNC Hand Torch with Cable Central Fitting



PC7200H

Product specifications

Stealth · Digi-Cut 45/60-1 Hand Torch with 6m Cable Central Connector



PC7100H

Product specifications

Stealth · Air Cooled TIG Package



9862H

Product specifications

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

Packages & Accessories (cont.)

Quote the power-source model and connector when ordering a remote, cooling unit, lead or torch package.

Stealth · Air Cooled TIG Package for 9010H Digi-Tig 200 Machine



9821H

Product specifications

Stealth · 200A Air Cooled TIG Package



9827H

Product specifications

Stealth · Scratch Start TIG Package



9807

Product specifications

Stealth · Digi-Mig & Digi-TIG Foot Switch



9826H

Product specifications

Stealth · Digi-Cut 40 70 Degree Torch Head



PC7000

Product specifications

Stealth · Scratch Start TIG Package for 9805, 9810, 9021H & 9022H Machines



9806

Product specifications

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

Packages & Accessories (cont.)

Quote the power-source model and connector when ordering a remote, cooling unit, lead or torch package.

Stealth · Electrode Lead 3m for Digi-Tig Welding Machines



EH32LD

Product specifications

© R H Davey Welding Supplies Ltd · Design and editorial content

STEALTH

Fume Extraction

Choose the extractor voltage for the work site and check the capture setup against your fume assessment.

Cobra · Fume Extraction Unit 240V



240V · 1300m³/h at hood · 82kg net

Metallic pre-filter, synthetic filter, rigid pocket filter and activated carbon

WFE-007

Technical manual

Cobra · Fume Extraction Unit 110V



110V · 1300m³/h at hood · 82kg net

Metallic pre-filter, synthetic filter, rigid pocket filter and activated carbon

WFE-006

Technical manual

Digi-Fume Portable Fume Extractor 110V



110V portable extractor

WFE-0010

Product specifications

© R H Davey Welding Supplies Ltd · Design and editorial content